

# telehook


Television & projector mounting solutions for the home and commercial space



## **SPACEPAC** INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)





Atdec's comprehensive range of wall mounts provides an ingenious solution for every requirement where saving space and viewing flexibility is the key.

In the home and commercial environments Atdec wall mounts allow your monitor or TV to be displayed in a prominent position without the need for additional furniture.

Choose from Atdec's range of **Fixed, Articulated, Rotating** and **Swing Arm mounts** capable of carrying displays from 12" LCD monitors up to 63" LCD and plasma flat panel displays.



**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)

wall range

## wall fixed | 12-24"



Suits LCD Flat Panel Displays from 12" (30cm) to 24" (61cm)



Suits 75mm x 75mm (3" x 3") and 100mm x 100mm (4" x 4") VESA mounting hole patterns



Up to 11kgs (24lbs) per display

### COLOUR

■ Silver

- Distance from wall to rear of display 21mm (1")



Theft resistant design

## wall fixed | 20-37"



Suits LCD Flat Panel Displays from 20" (50cm) to 37" (94 cm)



Suits 100mm x 100mm (4" x 4"), 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns



Up to 30kgs (66lbs) per display

- Distance from wall to rear of display 17mm (5/8")

### COLOUR

■ Silver



Theft resistant design

**SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA

Phone: +61 2 4227 3444 • 1300 763 444

Fax: +61 2 4226 2208 • ABN 98 002 454 462

spacepac@spacepac.com.au

## wall fixed | 23-37"



Suits LCD and Plasma Displays from 23" (58cm) to 37" (94cm)



Suits displays with 100mm x 100mm (4" x 4"), 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns

Suits 180mm to 435mm wide (7"-17") by 100mm to 330mm high (4"-13") non-VESA compliant displays with mounting hole patterns



Up to 36kgs (80lbs) per display

- Distance from wall to rear of display 41mm (1 5/8")

### COLOUR

■ Black



Theft resistant design (requires 2 small padlocks)

## wall fixed | 32-60"



Suits LCD and Plasma TVs from 32" (81cm) to 60" (152cm)



Suits 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns

Suits 180mm to 740mm wide (7"-29") by 100mm to 500mm high (4"-20") non-VESA compliant displays



Up to 91kgs (200lbs)

- Distance from wall to rear of display: 60mm (2 3/8")

### COLOUR

■ Black

Theft resistant design (requires 2 small padlocks)

**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au

**THREE  
PRODUCTS  
IN ONE:**

WALL MOUNT,  
SWING ARM AND  
ARTICULATED



# wall articulated | 12-30" multi



Suits LCD Flat Panel Displays from 12" (30cm) to 30" (76cm)



Suits 75mm x 75mm (3" x 3"), 100mm x 100mm (4" x 4") and 200 x 100mm (8" x 4") VESA mounting hole patterns



Up to 18kgs (39lbs) per display



Horizontal adjustment of +/- 8°  
Pans 180° from wall & behind display



Adjustable tilt of +/- 20°

- Three products in one
- Distance from wall to rear of display
  - Wall Mount – 44mm (1 3/4")
  - Swing Arm – Min 89mm (3 1/2"), Max 295mm (11 1/2")
  - Articulated Arm – Min 89mm (3 1/2"), Max 460mm (18")
- Includes cable management

**COLOUR**

■ Silver



**SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au

# wall articulated arm | 26-37"



Suits LCD & Plasma TVs from 26" (66cm) to 37" (94 cm)



Suits 100mm x 100mm (4" x 4"), 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns



Up to 30kgs (66lbs) per display



Adjustable tilt of +/- 15°



Pans 180° from wall

## COLOUR

■ Silver



Internal Cable Management

- Low profile design folds flat against wall
- Maximum distance from wall to rear of display: 678mm (26¾")
- Minimum distance from wall to rear of display: 130mm (5½")

# wall articulated arm | 37-63"



Suits LCD & Plasma TVs from 37" (94cm) to 63" (160cm)



Suits VESA and non-VESA compliant displays with 200mm x 760mm wide (8" x 30") by 200mm x 610mm high (8" x 24") mounting hole patterns



Up to 91kgs (200lbs)



Adjustable tilt of +/- 15°



Pans 180° from wall

## COLOUR

■ Silver

Low profile design folds flat against wall



Internal Cable Management

- Maximum distance from wall to rear of display: 715mm (28")
- Minimum distance from wall to rear of display: 190mm (7½")
- Lateral arm adjustment at wall plate: 80mm (3½")

**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au



 **SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)

# wall rotating | 30-50"



Suits LCD and Plasma Flat Panel Displays from 30" (76cm) to 50" (127cm)



Suits 100mm x 100mm (4" x 4"), 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns

Suits 260mm to 660mm wide (10 1/4"-26") by 200mm to 400mm high (8"-15 3/4") non-VESA compliant displays with mounting hole patterns



Up to 85kgs (187lbs)



Adjustable tilt of +/- 20°



Adjustable pan of +/- 20°



- Portrait/landscape rotation
- Minimum distance from wall to rear of display: 95mm (3 3/4")

## COLOUR

■ Silver



Theft Resistant Design (requires 1 padlock)



portrait/landscape rotation

# wall swing arm | 31-55"



Suits LCD and Plasma TVs from 31" (78cm) to 55" (140cm)



Suits displays with 180mm to 685mm wide (7"-27") by 100mm to 430mm high (4"-17") VESA and non-VESA mounting hole patterns



Up to 60kgs (132lbs)



Adjustable tilt from -5° to +25°



Pans 180° from wall



- Maximum distance from wall to rear of display 554mm (22")
- Features horizontal adjustment of +/- 5°

## COLOUR

■ Silver

**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au

# wall tilt | 31-55"



Theft resistant design



Suits LCD and Plasma Flat Panel Displays from 31" (78cm) to 55" (140cm)



Suits 180mm to 685mm wide (7"- 27") by 100mm to 430mm high (4"- 17") VESA and non-VESA mounting hole patterns



Up to 60kgs (132lbs)



Adjustable tilt from -5° to +10°

COLOUR

■ Black

- Minimum distance from wall to rear of display: 60mm (2 3/8")
- Features horizontal adjustment of +/-5°
- Can be bought together with the Accessory Kit for 31-55" Swing Arm or Accessory Kit for 31-55" Ceiling Tilt

**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au

# wall tilt | 32-63"



Suits LCD and Plasma TVs from 32" (81cm) to 63" (160cm)



Suits 100mm x 200mm (4" x 8") and 200mm x 200mm (8" x 8") VESA mounting hole patterns

Suits 180mm to 740mm wide (7"-29") by 100mm to 500mm high (4"-20") non-VESA mounting hole patterns



Up to 91kgs (200lbs)




Adjustable tilt from 5° to 15°

- Distance from wall to rear of display: 76mm (3")

COLOUR

■ Black



Theft resistant design (requires 2 small padlocks)





## cable manager and shelf system

### COLOUR

■ Silver



- Provides a simple and elegant solution for concealing unsightly cables
- Super slim design to reduce visual clutter
- Durable powder coated finish
- Sturdy extruded aluminium construction (strength with minimum weight)
- Large support area safely accommodates even the largest Hi-Fi equipment
- Can be mounted to dry wall in any position without the need to locate studs

### CABLE MANAGER CHANNEL

- Able to house up to 10 power/AV cables
- 1.1m in length (43 1/8")
- Slim line profile protruding just 28mm (1") from wall
- Accommodates up to four height adjustable shelves for audio/visual equipment supporting up to 12kgs (26.5lbs) per shelf



Allows power and data cables to be installed in separate bays reducing the chance of electromagnetic interference



Shelves are purchased separately  
(2 shelves per pack)

**SPACEPAC**  
INDUSTRIES Pty. Ltd.  
39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
spacepac@spacepac.com.au



**Ceiling mounts** offer an ideal solution for retail applications, entertainment and sport venues, clubs and mass transport facilities such as airports. These products are specifically designed to satisfy digital signage and commercial applications where mounting flexibility is paramount and space is limited.

**Atdec's Ceiling Mounts** can support displays from 31" (78cm) to 55" (140cm) weighing up to 60kg (132lbs) per display.



**SPACEPAC**

**INDUSTRIES Pty. Ltd.**

39 Ellen St. Wollongong NSW 2500, AUSTRALIA

Phone: +61 2 4227 3444 • 1300 763 444

Fax: +61 2 4226 2208 • ABN 98 002 454 462

[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)

ceiling range



## ceiling tilt | 31-55"



Suits LCD and Plasma TVs  
from 31" (78cm) to 55" (140cm)



Suits most 180mm to 685mm wide (7"-27")  
by 100mm to 430mm high (4"-17")  
VESA and non-VESA mounting hole patterns



Up to 60kgs (132lbs)



Adjustable tilt  
from -5° to +25°



Adjustable pan  
of 360°

### COLOUR

White

Black (available in US only)

- Telescopic pole allows adjustable distance from ceiling to centre of display:
  - Minimum 220mm (8<sup>11</sup>/<sub>16</sub>" )
  - Maximum 2000mm (78<sup>3</sup>/<sub>4</sub>" )
- Features horizontal adjustment of +/-5°



### CABLE MANAGEMENT

"True" Internal Cable Management System allows the installer to feed all necessary cabling through centre of the pole without first removing the data & power plugs. This is achieved by the generous internal diameter of the main hanger pole.

**SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA

Phone: +61 2 4227 3444 • 1300 763 444

Fax: +61 2 4226 2208 • ABN 98 002 454 462

[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)



**TELEHOOK Projector Range** offers you a choice of universal projector mounts. Easy to install and offering flexible adjustments, the projector mounts will suit any office environment or home entertainment area.



 **SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)

projector range

# projector | ceiling



Suits 90% of projectors



360° rotation



Up to 15kgs (33lbs)

## COLOUR

White

- Minimum distance from ceiling 400mm (15¾")
- Maximum distance from ceiling 900mm (35½")
- Pitch and roll adjustment of +/- 20°
- Maximum pitch adjustment of +/- 40°
- Internal Cable Management system
- Quick release mechanism for easy installation or removal for maintenance purposes

# projector | flush



Suits 90% of projectors



360° rotation



Up to 15kgs (33lbs)

## COLOUR

White

- Distance from ceiling 127mm (5")
- Maximum pitch adjustment of +/- 40°
- Maximum roll adjustment of +/- 20°
- Quick release mechanism for easy installation or removal for maintenance purposes



**SPACEPAC**  
INDUSTRIES Pty. Ltd.

39 Ellen St. Wollongong NSW 2500, AUSTRALIA  
Phone: +61 2 4227 3444 • 1300 763 444  
Fax: +61 2 4226 2208 • ABN 98 002 454 462  
[spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au)