

Drum Storage & Racking

Spill Bins

Type SL Spill Bins

Offering complete protection against damaging and costly chemical spills, SL spill bins are available for 1, 2 or 4 x 205 litre drums.

Close spacing support bars allow for large or small drums up to 2000kg SWL to be placed on the spill bin.

All models have a spill capacity of at least 110% containment of the largest drum in accordance with Australian Standards, being classified as "portable" units, and have a zinc plated finish.



SL 4



SL 2



SL 1

Timber pallets will fit within the SL 4 spill bin, or drums may be placed directly on the support bars.

Type	No. of Drums	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
SL 1	1	810	760	490	240	55
SL 2	2	1210	610	440	250	60
SL 4	4	1210	1210	265	245	70

Type SLC Spill Bins

Fitted with a cargo protection shield and safety securing chain, the SLC range offers additional protection against damaging the stored drums.

Available in 1, 2 and 4 drum storage units.



SLC 4


Type	No. of Drums	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
SLC 1	1	810	760	1350	240	105
SLC 2	2	1210	610	1300	250	115
SLC 4	4	1210	1210	1100	245	120

Drum Storage & Racking

Spill Bins

Type SL4/CD Spill Bin

The SL4/CD Spill Bin, designed to store 4 x 205 litre drums offers protection against damaging and costly spills with the additional benefit of having fully enclosed sides, with a front opening lockable door for easy access.



Type	No. of Drums	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
SL4 / CD	4 x 205 litre	1310	1240	1370	245	235

Type SL4/CDL Spill Bin

With an additional lid, the SL4/CDL offers total protection from the elements, making it perfect for outside applications. Lid is fitted with locking struts, allowing access to ancillary equipment such as pumps, valves etc.



Type	No. of Drums	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
SL4 / CDL	4 x 205 litre	1340	1250	1380	245	255

Drum Storage & Racking

Spill Bins

Type SL-IBC Spill Bins

The SL-IBC range is suited for IBC (Intermediate Bulk Containers), and is available in 3 different sizes to suit most bins available. Zinc plated finish.



SL-IBC 1100

Type	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
SL-IBC 1100	1360	1510	600	1100	165
SL-IBC 1350	1510	1510	700	1350	190

Type RS-IBC Spill Bins

This unit provides a support frame which allows the IBC to be in a raised position, useful for decanting directly from the IBC, or allowing easy access for hose couplings to the drain valve.

Additional support tray also supplied. Zinc plated finish.



RS-IBC 1100

Type	Width (mm)	Depth (mm)	Height (mm)	Spill Capacity (litres)	Unit Weight (kg)
RS-IBC 1100	1360	1510	920	1100	190
RS-IBC 1350	1510	1510	1020	1350	230