

Replaces all previous versions

Effective 22nd September 2010

# Wheelie Bin Ramp Trolleys

- Powder coated steel frame
- Aluminium Ramp with safety clips and spring support.
- Standard Castors - 150mm heavy duty blue poly 2 swivel x 2 Fixed.
- Galvanised tow bracket standard - suits Tug.



## Can be towed with

1. TUG - using standard Tow Bracket fitted to front of Wheelie Bin trolley
2. GZUNDA or TUGLET - using adjustable Clamp or Retention Straps
3. TAYLOR DUNN - Wide range of electric vehicles with ball type hitch

**12 Month Warranty**

Also see our: "Classic Tug", "Tuglet", "Gzunda" & Taylor Dunn brochures

Part Number	STANDARD Castors	Nominal Dimensions	
# TUG-WB2	Trailer for 2 x 240L Wheelie Bin Transport	1500mm x 715mm Wide	
# TUG-WB3	Trailer for 3 x 240L Wheelie Bin Transport	2100mm x 715mm Wide	
# TUG-WB4	Trailer for 4 x 240L Wheelie Bin Transport	2800mm x 715mm Wide	
# TUG-WB6	Trailer for 6 x 240L Wheelie Bin Transport	2100mm x 1400mm Wide (2x3)	
# TUG-WB8	Trailer for 8 x 240L Wheelie Bin Transport	2800mm x 1400mm Wide (2x4)	
Part Number	OPTIONAL		
TUG-DB50	Optional: Draw Bar for 50 mm ball type, for WB2, WB3, WB4, WB6, and WB8 Trolley		
TUG-PN250SET	Optional: 250mm Pneumatic Castors, for WB2, WB3, WB4, WB6, and WB8 Trolley		
Part Number	STD Castors - Semi Pneumatic - Puncture Proof Towing Castors		
# TUG-WB8-250	Trailer - 8 bin w 250mm pneumatic tyred castors and Standard tug hitch		
# TUG-WB8-350-TB	Trailer - 8 bin w 350mm pneu' tyred castors & Draw bar for 50mm ball type hitch (Refer to page 3)		
# TUG-WB8-400-TB	Trailer - 8 bin w 400mm pneu' tyred castors & Draw bar for 50mm ball type hitch (Refer to page 3)		
# TUG-WB8-MESH	Optional mesh sides and front for WB8 Trolley		

*Please email to sales@spacepac.com.au for current pricing*



All prices/specifications subject to change without notice.

**ADD 10%GST AUSTRALIA ONLY**

Replaces all previous versions

Effective 22nd September 2010

# Wheelie Bin Ramp Trolleys

## Taylor Dunn "MULE" with # TUG-WB8



All prices/specifications subject to change without notice.

**ADD 10%GST AUSTRALIA ONLY**

Replaces all previous versions

Effective 22nd September 2010

# Wheelie Bin Ramp Trolleys

## # TUG-WB8-350-TB

- To carry 8 x 240L or 660, 1100L Sulo bins
- Nominal size 1400mm wide x 2900mm long plus the fold up drawbar
- The tailgate is 1500mm long and aluminium covered complete with spring that enables 1 finger pick up
- Height to the handrails of 1090mm
- Front tow bar, fold up 50mm ball Type or Pin Hitch
- 350mm x 4 Pneumatic Castors, 2 Fxd/2 Swl
- Painted Taylor Dunn orange
- **Optional Extra - blinkers and tail light**



Note:  
 Towhitch choice of  
 - 50mm ball type or  
 - Pin (as Shown)

## # TUG-WB8-400-TB

- To carry 8 x 240L or 660, 1100L Sulo bins
- Nominal size 1420mm wide x 3200mm long
- Floor height appx 300mm off ground level
- Cargo rail, to sides and front at 1200mm off deck
- Checker plate floor
- 1 piece aluminum rear tail gate, spring loaded
- Front tow bar, fold up 50mm ball Type or Pin Hitch
- Pneumatic tires 400 x 8" front swivel, rear fixed axle with guards
- Constructed with RHS and channel steel
- Painted in industrial enamel paint
- **Optional Extra - blinkers and tail light**



All prices/specifications subject to change without notice.

**ADD 10%GST AUSTRALIA ONLY**