

Replaces all previous versions

Effective 25th June 2007

# JUMBO TOW MOTOR - 1200 Load Capacity

Special compact design for in-plant use, with drawbar hitch for towing trolleys and equipment.

Towing 1200 kg  
 (Other models available up to 3000 kg - POA).

Powerful electric drive motor controlled by microprocessor.

Free from pollution with safe operation. Complies with the GS safety marks of Germany and EMC requirements.

Suitable for towing amongst production and assembly lines and confined spaces.

Manufactured under quality system ISO 9001:2000

Towing Capacity - 1200 kg

Ergonomic Stand up Design

Twist Grip Controls

Speed 8 km/h

Over all Length 1325mm

Low 175mm Platform Height

Flashing Light

Indicator

Drop Pin Coupling



## Warranty 3 Years

### GENERAL

Type	Compact Tow Truck
Jumbo model designation	# <b>JUMBO1000</b>
Max. Drawbar Pull	1000 N
Rated Drawbar Pull	200 N*

\* Estimated towing capacity: 1200kg rolling load

# JUMBO1000 - TRADE EXC. GST	\$ 9,988.00
------------------------------	-------------

*Freight Additional*

### DIMENSIONS

Overall Width	650 mm
Overall Height	1230 mm
Overall Length	1310 mm
Turning Radius	1310 mm

### DRIVE

Traction motor	1.2 kw
Voltage	24
Speed laden/unladen	8 km/h

### SHIPPING DETAIL

Shipping Size	1410 x 810 x 1450 mmH
Shipping Weight include Batteries	250 kg
Shipping Volume	1.656 m <sup>3</sup>
Shipping Category	Class 8 **

\*\* Class 8 : Category Dangerous goods - Because it is shipped with batteries  
 Optional Shipping: Batteries can be shipped separately

All prices/specifications subject to change without notice.

**Add 10% GST Australia Only**

Replaces all previous versions

Effective 25th june 2007

# JUMBO TOW MOTOR - 2500 Load Capacity

- Electric system with microprocessor control
- Towing capacity 2500 kgs
- Pollution free, user friendly, safe operation and low maintenance cost
- Great maneuverability and silent operation
- Maintenance free braking system
- Ergonomic and adjustable driver's seat
- Cushion tyres and multi-stage coupling
- Complete with all safety devices
- Sit-in and Stand-on option



**Warranty 3 Years**

## GENERAL

Type	Compact Tow Truck
Jumbo model designation	# JUMBO2500
Max. Drawbar Pull	1500 N
Rated Drawbar Pull	500 N*

\* Estimated towing capacity: 2500 kg rolling load

# JUMBO2500 - TRADE EXC. GST	\$	15,168.50
------------------------------	----	-----------

*Freight Additional*

## DIMENSIONS

Overall Width	730 mm
Overall Height	1953 mm
Overall Length	1630 mm
Turning Radius	1735 mm

## DRIVE

Traction motor	2.5 kw
Voltage	24
Speed laden/unladen	9/11 km/h

## Optional - Battery

Voltage/Capacity	5 hours rate
Voltage	24 / 270

# JUMBO-BC - TRADE EXC. GST	\$	1,842.88
Battery/s & Charger for #JUMBO2500		

## SHIPPING DETAIL

Shipping Size	1750 x 900 x 2100 mmH
Shipping Weight include Batteries	450 kg
Shipping Volume	3.3 m <sup>3</sup>
Shipping Category	Class 8 **

\*\* Class 8 : Category Dangerous goods - Because it is shipped with batteries  
 Optional Shipping: Batteries can be shipped separately

All prices/specifications subject to change without notice.

Add 10% GST Australia Only

Replaces all previous versions

Effective 25th june 2007

# JUMBO TOW MOTOR

## DESIGNED FOR VERSATILE APPLICATIONS IN CONFINED SPACES

This new 3 wheel vehicle is a small, compact, stand up tow motor. Ideal for narrow aisle environments. Jumbo's versatile design is ideal for transportation needs in hospitals, Nursing Homes, Universities, Airports and Warehouse applications.

The # **JUMBO1000** and # **JUMBO2500** are pollution free, silent in operation and highly manoeuvrable, with a generous 1200 kg towing capacity.

Provides a unique, versatile turning radius of only 1310mm.

This coupled with its top speed of 8 km/h, makes the jumbo both compact and efficient for daily operations in many environments.

The new jumbo is standard with full safety features, flashing light, indicators, horn and hitching pin for towing. Operator ergonomics are a feature of this unit, with low step on and off chassis, hand throttle control and clear view stand up operations.

