

Replaces all previous versions

# BAILEY EXTENSION LADDERS



## Orion - Aluminium 100kg

- Anti-slip feet for added safety and stability.
- Made to Australian and New Zealand Standard AS/NZS1892.1.
- Light yet durable aluminium construction.
- Serrated 'O' rungs for surer footing.
- Manual extension (no rope and pulley).
- Slim profile for easy storage.
- 100kg Load Rating.
- Convenient access around the house.
- Domestic use only.
- Made in Australia.

<b>DOMESTIC</b>	<b>HOUSEHOLD</b>
Load Rating	<b>100 kg</b>

Part Number	Description	Size	Weight		
# FS20016	Orion 8 step	2.4/3.9m (8'/13')	7.1kg		
# FS20017	Orion 9step	2.7/4.5m (9'/15')	8.1kg		



## Galaxy – Aluminium 120kg

- Interlocking stiles and swaged rung to stile joint for maximum resistance to twist and side sway.
- Made to Australian and New Zealand Standard AS/NZS1892.1.
- Anti-slip feet for added safety and stability.
- Sturdy, corrosion resistant aluminium construction.
- Patented convenient side pulley and rope extension system to keep rope away from users feet.
- Flat tread 'D' shaped rungs for surer footing.
- 120kg Load Rating.
- Industrial Duty Rating.
- Made in Australia.

<b>INDUSTIAL</b>	<b>TRADESPERSON</b>
Load Rating	<b>120 kg</b>

Part Number	Description	Size	Weight		
# FS20020	Galaxy 10 Step	3.0/5.2m (10'/16')	12.9kg		
# FS20021	Galaxy 11 Step	3.3/5.8m (11'/20')	14.5kg		
# FS20022	Galaxy 12 Step	3.6/6.4m (12'/21')	15.1kg		



## Galaxy Leveller – Aluminium 120kg

- Factory fitted automatic ladder levelling system allows for safe use on uneven surfaces.
- Made to Australian and New Zealand Standard AS/NZS1892.1.
- Anti-slip feet for added safety and stability.
- Extensively field trialed by tradesmen providing hassle free use in all conditions.
- Lab tested to 30,000 cycles.
- 120kg Load Rating.
- Industrial Duty Rating.
- Made in Australia.

<b>INDUSTIAL</b>	<b>TRADESPERSON</b>
Load Rating	<b>120 kg</b>

Part Number	Description	Size	Weight		
# FS20339	Gal. Lev. 10 step	3.2/5.0m (10'/16')	15.1kg		
# FS20340	Gal. Lev. 12 Step	3.8/6.3m (12'/20')	17.1kg		

Please email to [spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au) for current pricing

All prices/specifications subject to change without notice.

Replaces all previous versions

# BAILEY EXTENSION LADDERS

## BMKD – Aluminium 150kg



- Sturdy, corrosion resistant aluminium construction.
- Anti-slip rubber feet for added safety and stability with reinforcing plates.
- Flat tread 'D' shaped rungs for surer footing.
- Made to Australian and New Zealand Standard AS/NZS1892.1.
- Patented and convenient side pulley and rope extension system to keep rope away from users feet.
- 150kg Load Rating. • Industrial Duty Rating.
- XHD construction resists sway, turn and flex.
- Level-Eze® Ladder Leveller available as an accessory.
- Made in Australia.

<b>HEAVY DUTY INDUSTRIAL</b>	<b>PROFESSIONAL CONTRACTOR</b>
<b>Load Rating</b>	<b>150 kg</b>

Part Number	Description	Height	Weight
# FS20290	BMKD 8	2.68/4.21m (8'/14')	12.3kg
# FS20291	BMKD 9	2.99/4.82m (9'/16')	13.3kg
# FS20292	BMKD 10	3.29/5.43m (10'/18')	16.9kg
# FS20293	BMKD 11	3.60/6.04m (11'/20')	18.9kg
# FS20294	BMKD 12	3.90/6.65m (12'/22')	20.3kg
# FS20295	BMKD 13	4.21/7.26m (13'/24')	21.8kg
# FS20296	BMKD 14	4.51/7.87m (14'/26')	23.7kg
# FS20297	BMKD 15	4.82/8.48m (15'/28')	30.1kg
# FS20298	BMKD 16	5.12/9.09m (16'/30')	32.1kg
# FS20299	BMKD 17	5.43/9.70m (17'/32')	33.9kg
# FS20300	BMKD 18	6.04/10.31m (19'/34')	36.8kg
# FS20301	BMKD 20	6.34/10.92m (20'/36')	38.9kg

Please email to [spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au) for current pricing




## FSXN – Fibreglass 125kg

- Electro-Safe™.
- Swaged 'D' rungs for extra strength.
- Rubber 'boots' for extra safety and protection of the fibreglass stiles.
- Flat tread 'D' shaped rungs for surer footing and strength.
- Made to Australian and New Zealand Standard AS/NZS1892.3.
- Patented and convenient side pulley and rope extension system.
- Level-Eze® Ladder Leveller available as an accessory.
- 125kg Load Rating. • Industrial Duty Rating.
- Made in Australia.

<b>INDUSTIAL</b>	<b>TRADEPERSON</b>
<b>Load Rating</b>	<b>130 kg</b>

Part Number	Description	Height	Weight
# FS20324	FSXN 8/14	2.68/4.20m (8'/14')	16.1kg
# FS20325	FSXN 10/17	3.29/5.42m (10'/17')	19.0kg
# FS20326	FSXN 12/21	3.90/6.64m (12'/21')	22.5kg
# FS20327	FSXN 13/23	4.20/6.95m (13'/23')	23.8kg
# FS20328	FSXN 14/25	4.50/7.56m (14'/25')	25.1kg
# FS20329	FSXN 16/29	5.12/8.78m (16'/29')	28.6kg

Please email to [spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au) for current pricing



## Bailey Level - Eze Ladder Leveller

- Heavy Duty construction suits aluminium and fibreglass ladders
- Ideal for stairs, uneven surface, adjusts up to 228mm (nominal)
- BMKD, FSXN, FXN, BMKS, GALAXY and FSS Bailey Ladders tested for conformance to AS/NZS1892
- FSXN and GALAXY models require and adaptor plate
- Factory fit option available on new ladders

Please email to [spacepac@spacepac.com.au](mailto:spacepac@spacepac.com.au) for current pricing

Part Number	Description	Weight
# FS22943	Bailey Level - Eze	4.0kg

All prices/specifications subject to change without notice.

Replaces all previous versions

# BAILEY EXTENSION LADDERS

## FSXN (V Rung) – Fibreglass 125kg



- Sturdy, corrosion resistant aluminium construction.
- Anti-slip rubber feet for added safety and stability with reinforcing plates.
- Flat tread 'D' shaped rungs for surer footing.
- Made to Australian and New Zealand Standard AS/NZS1892.1.
- Patented and convenient side pulley and rope extension system to keep rope away from users feet.
- 150kg Load Rating.
- Industrial Duty Rating.
- XHD construction resists sway, turn and flex.
- Level-Eze® Ladder Leveller available as an accessory.
- Made in Australia.

INDUSTIAL	TRADEPERSON
Load Rating	<b>125 kg</b>

Part Number	Description	Height	Weight	
# FS20405	FSXN 8/14 V rung	2.68/4.20M (8'/14')	16.2kg	<p>Please email to <a href="mailto:spacepac@spacepac.com.au">spacepac@spacepac.com.au</a> for current pricing</p>
# FS20406	FSXN 10/17 V rung	3.29/5.42M (10'/17')	19.1kg	
# FS20407	FSXN 12/21 V rung	3.89/6.64M (12'/21')	22.6kg	
# FS20408	FSXN 13/23 V rung	4.20/6.95M (13'/23')	23.9kg	
# FS20409	FSXN 14/25 V rung	4.50/7.56M (14'/25')	25.1kg	
# FS20410	FSXN 16/29 V rung	5.12/8.78M (16'/29')	28.7kg	

## Deluxe – Fibreglass 130kg



- Electro-Safe™.
- Rungs top hat riveted for resistance to twist and sway.
- Repairable rungs mounted on top hat plates, which are securely riveted through the stiles.
- Made to Australian and New Zealand Standard AS/NZS1892.3.
- Convenient side pulley and rope system.
- Complete with pole chain and hoop as standard.
- XHD construction resists sway, turn and flex.
- A range of pole support devices can be fitted to this ladder to suit your needs, made to order or supplied as accessories.
- Level-Eze® Ladder Leveller available as an accessory.
- 130kg Load Rating.
- Industrial Duty Rating.
- Made in Australia.

INDUSTIAL	TRADEPERSON
Load Rating	<b>130 kg</b>

Part Number	Description	Height	Weight	
# FS20186	FXN 8/13	2.70/3.9m (8'/13')	18.9kg	<p>Please email to <a href="mailto:spacepac@spacepac.com.au">spacepac@spacepac.com.au</a> for current pricing</p>
# FS20187	FXN 10/17	3.31/5.13m (10'/17')	24.2kg	
# FS20188	FXN 12/21	3.92/6.35m (12'/21')	26.9kg	
# FS20189	FXN 14/25	4.50/7.57m (14'/25')	31.0kg	
# FS20190	FXN 16/29	5.14/8.79m (16'/29')	33.5kg	
# FS20411	FXN 18/31	5.72/9.38m (18'/31')	36.2kg	

All prices/specifications subject to change without notice.