

MLS6-15 RGR Series ROLL LIFT- GRIP – ROTATOR

Lift Options: Battery Electric Lift
 Manual Winch Lift

Lift Height: 1500mm

Lift Capacity: 120 Kg – 200 Kg

Gripper Options: Single Clamping Jaw
 To access roll packed on pallets
 Economical & Versatile
2 Clamping Jaws
 For larger rolls and 180° Inverting rolls
 for positioning into wrapping machines
Variable Geometry Jaws
 Improved gripping & safe handling of fragile materials

Custom Options: Gripping jaw options tailored to suit :
 Fabrics, Paper, Plastics, Laminated plastic
 Foil, Packaging & Wrapping materials
 Steel & solid rollers,
 Cardboard, Plastic & Metal Drums.

Can be manufactured from Stainless Steel
 for food & pharmaceutical applications



Custom Design &
 Manufacture in Australia

LIFTAIDE



MLS6-15 RGR Series	Manual Screw Clamping	Electric Clamping	Manual Lever Rotator	Manual Wormgear Rotator	Electric Gear Rotator	Electric Ram Rotator	Fixed Diameter Gripper	Variable Geometry Gripper
Capacities & Dimensions								
Manual Lift Single Clamping Jaw	Max 120 Kg	N/A	Max 80 Kg 360° L & R	Max 120 Kg 180° L & R	N/A	N/A	M 250-350 Ø M 300-500 Ø	N/A
Manual Lift 2 Clamping Jaws	Max 150 Kg	N/A	Max 80 Kg 360° L & R	Max 120 Kg 180° L & R	N/A	N/A	M 250-350 Ø M 300-500 Ø	M 150-400 Ø M 250-600 Ø
Electric Lift Single Clamping Jaw	Max 120 Kg	Max 200 Kg	Max 80 Kg 360° L & R	Max 120 Kg 180° L & R	Max 200 Kg 180° L & R	Max 200 Kg 90° L or R	E/M 250-350Ø E/M 300-500Ø E 500-800 Ø	N/A
Electric Lift 2 Clamping Jaws	Max 150 Kg	Max 200 Kg	Max 80 Kg 360° L & R	Max 120 Kg 180° L & R	Max 200 Kg 180° L & R	Max 200 Kg 90° L or R	E/M 250-350Ø E 500-800 Ø E 800-1000 Ø	E/M 150-400 Ø E/M 250-600 Ø E 400-1000 Ø

This chart refers to the Standard Roll Lift Capacity - Gripper Dimensions – Rotation Limits. Custom Specifications, Dimensions & Capacities made to order.