

Replaces all previous versions

Effective 1st March 2005

PACIFIC Lifter Trolleys

Raising heavy loads via the use of hydraulics, PACIFIC Lifter Trolleys are the safe and versatile way to transport goods in warehouses, workshops, libraries, loading docks, hospitals, assembly lines, offices, and nurseries.



Special Features

- Single and double scissor lift models for high reach
- Castor wheels enable easy positioning in tight spaces
- Sealed bearing wheels for durability and cleanliness
- Positive braking system on rear wheels for safety
- Overload valve ensures load limit is not exceeded
- Special hydraulic valving ensures loads lower slowly
- One-piece table-top for strength and easy cleaning
- Handle folds flat for storage on 150kg & 300kg models

LIFTERS & TROLLEYS



Model		PH150F	PH300F	PH500	PH-800	PH-350H	PH-500H
Lifting capacity	kg	150	300	500	800	350	500
Max height of platform	mm	750	900	970	1000	1400	1125
Min height of platform	mm	220	300	330	355	335	335
Platform size	(w x l) mm	450 x 700	500 x 800	500 x 900	550 x 1000	500 x 900	500 x 900
Overall size	(w x l) mm	450 x 860	550 x 970	550 x 1070	550 x 1230	550 x 1070	505 x 705
Wheel	(ø x w) mm	100 x 30	130 x 40	130 x 40	150 x 40	150 x 40	130 x 40
Packing weight	kg	33	73	90	118	112	91

All prices/specifications subject to change without notice.

Replaces all previous versions

Effective 1st March 2005

PACIFIC Platform Trolleys

The economical alternative to expensive forklifts, PACIFIC Platform Trolleys are ideally suited to unloading skids in smaller workshops and warehouses.

Special Features

- ➔ High quality, heavy duty construction for reliability
- ➔ Available in a variety of lift heights to suit any application
- ➔ Top quality, heavy load bearing castors assure durability
- ➔ Supplied with both a work platform and fork tynes
- ➔ Manual and battery powered models available

Model	PHK	I200	I500	I700	I200E	I500E	I700E	
Max load	kg	400						
Operation		Manual			Battery			
Length	mm	1050						
Width	mm	595						
Height	mm	1425	1725	1925	1425	1725	1925	
Platform size	mm	650 x 580						
Fork dimensions mm	Max height	mm	1200	1500	1700	1200	1500	1700
	Min height	mm	90					
	Length	mm	645					
	Width	mm	110					
	Exterior width	mm	550					
Net weight	kg	84	89	93	128	130	138	




PACIFIC Skid Lifter

Featuring foot operated hydraulics, the PACIFIC Skid Lifter is designed to raise and lower skids to the working height of the operator.

Special Features

- ➔ Strong, robust, all-steel construction for durability
- ➔ Rear swivel castors make positioning easy
- ➔ Rear castors fitted with brakes for safety
- ➔ Safely lifts loads with easy to operate mechanism
- ➔ Designed for long service life with minimal maintenance
- ➔ Battery powered models also available



Model	Load kg	Minimum height mm	Maximum height mm	Front wheel mm	Steering wheel mm	Overall dimensions mm	Net weight kg
HP-1168-5	500	83	870	70	150	680 x 1600	120
HP-968-10	1000	83	600	70	150	680 x 1400	125
HP-1168-10	1000	83	870	70	150	680 x 1600	130
HP-1152-10	1000	83	870	70	150	520 x 1600	130

All prices/specifications subject to change without notice.

Replaces all previous versions

Effective 1st March 2005

PACIFIC Lifter Trolleys

Special Features

- ➔ Easy to use load release handle
- ➔ Easy foot operation
- ➔ Toe guards on all castor wheels
- ➔ Metal guard for extra safety

Model		PST150	PST300	PST350	PST500
Lifting capacity	kg	150	300	350 (High lift)	500
Max. height of platform	mm	730	870	1300	900
Min. Height of platform	mm	210	300	340	380
Platform size (w x l)	mm	450 x 700	500 x 850	500 x 900	500 x 820
Overall size (w x l)	mm	450 x 840	500 x 940	500 x 1070	500 x 970
Wheel (ø x w)	mm	100 x 30	130 x 40	130 x 40	130 x 40
Packing weight	kg	33	73	112	91



PACIFIC Flat Trolley

Pacific flat trolleys are a quality product at a budget price, packed with features and easy to use. This makes them the answer to moving items efficiently while helping to eliminate workplace injuries.



Model	Capacity	Tiers	Platform size (mm)	Platform height (mm)	Material	Handles	Number of wheels	Net weight (kg)
PFT680	150kg	1	740 x 480	140	Enamelled Steel	1	4	12
PFT690	300kg	1	850 x 595	140	Enamelled Steel	1	4	18
PFT230	150kg	2	740 x 480	140, 720	Enamelled Steel	2	4	18.5
PFT240	300kg	2	890 x 600	190, 750	Enamelled Steel	2	4	29.6
PFT260	300kg	3	890 x 600	190, 470, 750	Enamelled Steel	2	4	40
PFT270	150kg	1	420x500(x720)	160	Enamelled Steel	1	4	8.5
PFT280	90kg	1	410 x 405	N/A	Enamelled Steel	1	2	7

All prices/specifications subject to change without notice.