

Replace all previous versions

Effective 1st September 2007

General Purpose 1 Channel Drop Over Cable Protectors with T-shaped connectors



Ideal for Vehicle and Pedestrian Traffic in Public, Commercial, and Industrial Applications

Single channel drop over systems protect valuable electrical cables, cords and hose lines from vehicle and foot traffic. Ideal where general purpose cable protection is required, such as temporary re-routing of single cable and hose lines, including fragile fiber optic telecommunications cable. We also offer ADA compliant cable ramps to fit these cable protectors.



Protects cables and lines with an outside diameter up to 31.25mm.

Features & Benefits

- **LOAD CAPACITY: 5,307 kg/tire (10,614 kg/axle)**
- Protects cables and hose lines up to 1.25 in. in diameter.
- All weather polyurethane construction.
- Patented 5-bar tread surface provides maximum traction.
- Heavy duty T-shaped connector interlocks modular sections.
- Lightweight and easy to transport, set-up, disassemble and store.
- Carrying handle is conveniently recessed on underside of protector.
- Safety warning symbols molded into lid surface.



NOTE

Drop Over protectors do not prevent abrasion from below.

ADA COMPLIANT ACCESSORIES

Meets Americans with Disabilities Act guidelines for ADA accessibility.


SPECIFICATION DATA

Material : Polyurethane (UV stabilized)
 Operating Temp : -40°F to 120°F (-40°C to 48°C)
 Hinge Pin Material : Reinforced fiberglass
 Safety Symbols : Per ANSI. Z535.3-1991

LOAD CAPACITY PER TIRE/AXLE

1 Channel : Max Load at 70°F (21°C)
 Per Tire : 11,700 lbs. (5,307 kg)
 Per Axle : 23,400 lbs. (10,614 kg)

WARNINGS



Model	Description	Colour	A Length	B Width	C Height	D Channel Width	E Channel Height	Weight kg
CP1X125-GP-DO-O	1-Channel Protector Drop Over	Orange	915 mm	292 mm	40.6 mm	31.8 mm	31.8 mm	5.9 kg
CP1X125-GP-DO-B		Black	915 mm	292 mm	40.6 mm	31.8 mm	31.8 mm	5.9 kg


All prices subject to GST 10% - Australia Only - Freight Ex-Factory Additional

All prices/specifications subject to change without notice.

Replace all previous versions

Effective 1st September 2007

General Purpose 1 Channel Open Top Cable Protectors with T-shaped connectors




Ideal for Vehicle and Pedestrian Traffic in Public, Commercial, and Industrial Applications

Single channel open top systems protect valuable electrical cables, cords and hose lines from vehicle and foot traffic. Ideal where general purpose cable protection is required, such as temporary re-routing of single cable and hose lines, including fragile fiber optic telecommunications cable. We also offer ADA compliant cable ramps to fit these cable protectors.

Protects cables and lines with an outside diameter up to 31.25mm.

Features & Benefits

- **LOAD CAPACITY: 5,307 kg/tire (10,614 kg/axle)**
- Protects cables and hose lines up to 1.25 in. in diameter.
- All weather polyurethane construction.
- Patented 5-bar tread surface provides maximum traction.
- Heavy duty T-shaped connector interlocks modular sections.
- Lightweight and easy to transport, set-up, disassemble and store.
- Carrying handle is conveniently recessed on underside of protector.
- Safety warning symbols molded into lid surface.



ADA COMPLIANT ACCESSORIES

Meets Americans with Disabilities Act guidelines for ADA accessibility.

SPECIFICATION DATA


Material : Polyurethane (UV stabilized)
 Operating Temp : -40°F to 120°F (-40°C to 48°C)
 Hinge Pin Material : Reinforced fiberglass
 Safety Symbols : Per ANSI. Z535.3-1991

LOAD CAPACITY PER TIRE/AXLE

1 Channel : Max Load at 70°F (21°C)
 Per Tire : 11,700 lbs. (5,307 kg)
 Per Axle : 23,400 lbs. (10,614 kg)

WARNINGS

-  Symbols Molded into Protector
-  Protector



Model	Description	Colour	A Length	B Width	C Height	D Channel Width	E Channel Height	Weight kg
CP1X125-GP-O	1-Channel Protector Open Top	Orange	915 mm	292 mm	40.6 mm	31.8 mm	31.8 mm	5.9 kg
CP1X125-GP-B		Black	915 mm	292 mm	40.6 mm	31.8 mm	31.8 mm	5.9 kg

All prices subject to GST 10% - Australia Only - Freight Ex-Factory Additional

All prices/specifications subject to change without notice.