



tanks c/w internal plumbing assemblies

Larger tanks are available with internal plumbing assemblies for connecting to a pipeline. The concealed plumbing is attractive and offers protection from livestock.



Code	Description
629	10,000L Tank c/w Internal Plumbing Assemblies
630	22,000L Tank c/w Internal Plumbing Assemblies

tank colours



SMOOTH CREAM
Classic Cream™



BEIGE



MIST GREEN
Pale Eucalypt®



RIVERGUM
Wilderness™



HERITAGE GREEN
Cottage Green®



HERITAGE RED
Manor Red®



SLATE GREY
Woodland Grey®



LIGHT GREY



BLACK
Night Sky®



MERINO
Paperbark™

Colorbond® and names are registered trademarks of Blue Scope Steel Ltd.

™ colour names are also trademarks of Blue Scope Steel Ltd.

NB. Due to the printing process, colour may not be exact representations

TERMS & CONDITIONS

Sales subject to Durapoly Terms & Conditions, available upon request.

SPECIFICATIONS

Product Specifications may change at any time without notice.

SIZES / MEASUREMENTS

All sizes, measurements and capacities are approximate only.

DISCLAIMER

All recommendations are intended as suggestion only. We does not take any responsibility for the suitability of any product for the use it is given.

SAFETY PROCEDURES / CHEMICALS

It is the users' responsibility to ensure chemical compatibility of chemicals with these products and also to follow all necessary safety procedures, including checking for spills where applicable.

OPTIONAL COLOURS

Optional colours (if available) are subject to a surcharge and possibly delayed delivery. Properties of products may vary for different colours.

HOW TO ORDER

e mail to spacepac@spacepac.com.au

300L/2000L tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

300L features

- Flat band from top to base on each side for a variety of fittings
- Sturdy metal tank stand available

2000L features

- Corrugated design, compact size



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
615	300L	66	640	2'1"	1130	3'8½"	1130	3'8½"
638	2000L	440	1350	4'5"	1900	6'3"	1960	6'5"

3500L/5000L tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

3500L/5000L features

- Streamlined smooth sides
- No internal support pole
- Modern Classic design



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
609	3500L	770	1800	5'11"	1525	5'	1630	5'4"
601	5000L	1090	1800	5'11"	2130	7'	2200	7'2½"

600L/1200L bottle

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

features

- High outlet for filter or buckets
- Low outlet
- Compact size



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
631	600L	131	675	2'3"	1788	5'10"	1788	5'10"
637	1200L	263	1350	4'5"	1788	5'10"	1788	5'10"

10,000L/22,000L tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

10,000L/22,500L features

- Streamlined smooth sides
- No internal support pole
- Modern Classic design



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
622	10,000L	2200	2550	8'4"	2210	7'3"	2350	7'8"
619	22,000L	5000	3500	11'6"	2460	8'1"	2500	8'2"



2100L Slimline tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

2100L features

- Contour 'wave' design
- Will blend in nicely with homes and gardens
- Excellent structural strength – no steel bracing required
- Strong one-piece design with narrow width



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
632	2100L	462	L=2280 W=700	L=7'6" W=2'3½"	1955	6'5"	1955	6'5"

3000L Slimline tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

3000L features

- Modern attractive aesthetics
- Strong one-piece design
- Narrow Width



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
635	3000L	660	L=2570 W=790	L=8'5" W=2'7"	2170	7'1½"	2170	7'1½"

2600L Slimline tank

Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

2600L features

- Slimline Corrugated design
- Compact size for confined spaces
- Unique pot plant holders
- No steel bracing required



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
616	2600L	570	L=1970 W=1000	LL=6'5½" W=3'3"	1870	6'1½"	1870	6'1½"

