

DIESEL UNITS



GENIUS

FITTED WITH
DIESEL FLO
PUMP

Strong poly lid to protect pump compartment

Lockable lid gives security & protection

3/4" Drain bung



100 LITRE DIESEL UNIT

WITH **DIESEL FLO**
40L/MIN PUMP

DULF0100L040V12 \$715.00*

100 LITRE CAPACITY WITH 40L/MIN PUMP
800(L) X 680(W) X 465(H)

DIESEL FLO
40 litre/min pump

UNDER LID:

- 4 metres of 3/4" hose
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose with foot strainer
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security

Splash resistant breather



200 LITRE DIESEL UNIT

WITH **DIESEL FLO**
40L/MIN PUMP

DULF0200AL040V12 \$799.00*

200 LITRE CAPACITY WITH 40L/MIN PUMP
800(L) X 680(W) X 710(H)



WOULD YOU LIKE TO
KNOW HOW MUCH
YOU'RE PUMPING?
CHOOSE THIS
DIGITAL FLOW METER

SPACE SAVING DESIGN

FITTED WITH
FLUID
PUMP

UNDER LID:

- 6 metres of 3/4" hose
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security

Splash resistant breather



200 LITRE DIESEL UNIT

WITH **FLUID** 45L/MIN PUMP

DULF0200AL045V12 \$985.00*

200 LITRE CAPACITY WITH 45L/MIN PUMP
800(L) X 680(W) X 465(H)

QUALITY
ITALIAN PUMP
WITH
2 YEAR
WARRANTY



All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008

GENIUS

TRUST A GENIUS™ TO GIVE YOU MORE

100 LITRE TO
1200 LITRE



WANT TO SAVE MONEY, TIME & EFFORT ON REFUELING?

**CHOOSE FROM
THE GENIUS™ RANGE – FAST, SMOOTH & EASY**



NEW

FORKABLE STEEL FRAMES FOR GENIUS™ DIESEL UNITS



EASY TO LOAD CONVENIENCE

- Strong hot dip galvanised steel construction
- Bolts directly to tank for secure mounting
- Anti-theft

SIZES TO SUIT
200, 400, 450 & 600 LITRE
DIESEL UNITS

GENIUS 200 LITRE DIESEL UNIT

**FITTED WITH
FLUID
QUALITY
ITALIAN PUMP
WITH
2 YEAR
WARRANTY**



- Strong poly lid to protect pump compartment
- Lockable pump compartment for security
- Splash resistant breather
- Diesel grade polyethylene construction
- Fluid 45 litre/min pump
- 3/4" Auto shut-off nozzle to prevent overfilling
- 6 metres of 3/4" hose
- Anti-kink spring fitted to hose
- Earth strap to prevent static build up when filling tank
- 3/4" Drain bung

ACTUALLY
✓ **40 PUMPS**
L/MIN
THROUGH
THE NOZZLE

DULO200LF045V012 \$1098.00*

200 LITRE CAPACITY WITH 45L/MIN PUMP
1200(L) x 850(W) x 565(H)

This guy was lucky! His mate had a RAPID DIESEL 200 litre refueling unit on board when he needed it most...(and it was raining too!)



12 Volt pump pushes 40 litres of diesel a minute through the 6 metre delivery hose. Auto shut-off nozzle prevents overfilling.

GENIUS



**WOULD YOU LIKE TO KNOW
HOW MUCH YOU'RE PUMPING?**

CHOOSE ONE OF THESE OPTIONAL EXTRAS
MECHANICAL 4 DIGIT FLOW METER OR DIGITAL 5 DIGIT FLOW METER



All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008

GENIUS 400 LITRE DIESEL UNIT

FITTED WITH
**FLUID
QUALITY
ITALIAN PUMP**
WITH
**2 YEAR
WARRANTY**



UNDER LID:

- 6 metres of 3/4" hose
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security

DUL0400LF045V012 \$1387.00*

400 LITRE CAPACITY WITH 45L/MIN PUMP
1150(L) x 820(W) x 780(H)

**CHOOSE FROM
45 & 60L/MIN
PUMPS**

**SPACE SAVING
DESIGN** FOR TUB
BACK UTES

**6 METRES OF DELIVERY HOSE
GIVES FLEXIBILITY OF
FILLING OPTIONS**



**IF YOU DRIVE IN
STEEP COUNTRY
WHY NOT CHOOSE
THE BALL
BAFFLE SYSTEM
FOR IMPROVED
STABILITY?**



**OPTIONAL IN
400, 450 & 600 LITRE
DIESEL UNITS**



All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008

GENIUS 450 LITRE DIESEL UNIT

UNDER LID:

- 6 metres of 3/4" hose
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security
- Fully enclosed pump compartment
- Splash resistant breather



LOCKABLE PUMP COVER
PADLOCK NOT INCLUDED

AS PICTURED

DUL0450LF045V012 \$1399.00*

450 LITRE CAPACITY WITH 45L/MIN PUMP KIT
1700(L) x 880(W) x 620(H)

WOULD YOU LIKE TO KNOW HOW MUCH YOU'RE PUMPING?



CHOOSE ONE OF THESE **OPTIONAL EXTRAS**
MECHANICAL 4 DIGIT FLOW METER OR DIGITAL 5 DIGIT FLOW METER



GENIUS 600 LITRE DIESEL UNIT



DUL0600LF045V012 \$1465.00*

600 LITRE CAPACITY WITH 45L/MIN PUMP
1700(L) x 880(W) x 740(H)

LOCKABLE PUMP COVER
PADLOCK NOT INCLUDED



THESE UNITS FITTED WITH **FLUID QUALITY ITALIAN PUMP** WITH **2 YEAR WARRANTY**

All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements

All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008

GENIUS 800 LITRE DIESEL UNIT



- 6 metres of 20mm hose on 45 litre/min pump kit
- 6 metres of 25mm hose on 60 litre/min pump kit
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security
- Fully enclosed pump compartment
- Splash resistant breather

DUL0800LFB045V012 \$1829.00*

800 LITRE CAPACITY WITH 45L/MIN PUMP
1700(L) x 1000(W) x 860(H)

DUL0800LFB060V012 \$2021.00*

800 LITRE CAPACITY WITH 60L/MIN PUMP
1700(L) x 1000(W) x 860(H)



**CHOOSE FROM
45 & 60L/MIN
PUMPS**

FITTED WITH



**FOR
IMPROVED
STABILITY**

**THESE UNITS
FITTED WITH
FLUID
QUALITY
ITALIAN PUMP
WITH
2 YEAR
WARRANTY**

**WOULD YOU LIKE TO
KNOW HOW MUCH
YOU'RE PUMPING?**



**CHOOSE ONE OF
THESE
OPTIONAL
EXTRAS**
MECHANICAL 4 DIGIT FLOW METER OR
DIGITAL 5 DIGIT FLOW METER

GENIUS

1000 LITRE DIESEL UNIT

- 6 metres of 20mm hose on 45 litre/min pump kit
- 6 metres of 25mm hose on 60 litre/min pump kit
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security
- Fully enclosed pump compartment
- Splash resistant breather

DUL1000LFB045V012 \$1961.00*

1000 LITRE CAPACITY WITH 45L/MIN PUMP
1700(L) x 1000(W) x 1025(H)

DUL1000LFB060V012 \$2153.00*

1000 LITRE CAPACITY WITH 60L/MIN PUMP
1700(L) x 1000(W) x 1025(H)



All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008

GENIUS 1200 LITRE DIESEL UNIT

- 6 metres of 20mm hose on 45 litre/min pump kit
- 6 metres of 25mm hose on 60 litre/min pump kit
- 4 metres of battery cables
- Earth strap to prevent static build up when filling tank
- Flexible suction hose
- Auto shut-off nozzle prevents overfilling and fuel wastage
- Lockable filler cap for security
- Fully enclosed pump compartment
- Splash resistant breather



NEW

THIS UNIT
FITTED WITH
**FLUID
QUALITY
ITALIAN PUMP**
WITH
**2 YEAR
WARRANTY**

DUL1200LFB045V012 \$2104.00*

1200 LITRE CAPACITY WITH 45L/MIN PUMP
1700(L) x 1000(W) x 1190(H)

DUL1200LFB060V012 \$2296.00*

1200 LITRE CAPACITY WITH 60L/MIN PUMP
1700(L) x 1000(W) x 1190(H)

CHOOSE FROM
45 & 60L/MIN PUMPS

FITTED WITH



FOR
IMPROVED
STABILITY

WANT TO KNOW WHAT'S UNDER THE LID?

Innovative splash resistant breather, specifically designed for diesel transport & recessed in surround to protect from accidental damage. Complies with AS 1949-2004



Fuel strainer under lid helps keep your fuel clean. Safety chain fitted to prevent loss



Lockable lid gives security and protection
Padlock not included

Reinforced pivot for cover

3/4" auto shut-off nozzle prevents overfilling or fuel wastage

Pad-lockable filler lid for security


Anti-kink spring fitted to hose

Optional digital flow meter - 5 digit - can be fitted behind nozzle (as pictured) or on pump outlet (normal position)

Swivel to prevent hose tangles

6 metres of 20mm anti-static delivery hose on 45l/m pump. 25mm hose with 60l/m pump.

Lockable pump cover for security



Easy clean suction strainer

Bypass valve integrated in pump body

On/off switch on pump

FLUID 45 litre/min quality Italian pump with 2 year warranty. 60l/m pump optional

4 metres of electrical cable with battery clips

PROTECT YOUR INVESTMENT
Enough room under lid to store hose, nozzle & electrical cables. Flow meter can be mounted under cover also.

Earth strap to prevent static build up while filling tank



All Rapid Spray diesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



All Rapid Spray diesel tanks comply with AS1940-2004 and AS2809.2-2008