

Versigen

January 2008



General
Hot Cupboards and Bains Marie
Fabrication

Light Duty Hot Cupboards



FHC3



FHC1



FHC2

Light Duty Hot Cupboards Models FHC1, FHC2, FHC3

A light duty range of static hot cupboards designed for the smaller establishment or where space is at a premium. Ideal for heating plates and serving dishes. All stainless steel construction with plain tops, fitted with base and intermediate shelf and side hinged doors. Variable controls for heating.

MODEL	FHC1	FHC2	FHC3
Weight kg	17	25	34
Length mm	350	700	525
Depth mm	600	600	600
Height mm	900	900	900
Power rating kw	0.7	1.0	1.0
Capacity 10" plates	140	350	280

Hot Cupboards & Bains Marie (dry heat only)

Overshelves for these products please see page 6

This range of cupboards is designed for hot food storage and service. Every unit is fitted with force air heating and recirculation which gives energy saving efficiency, faster heat up times, quicker heat recovery times and even distribution of heat without troublesome hot spots. Outer panels are constructed with the attractive spritzer finish providing good looks and durability. Stainless steel sliding doors lift off for easy cleaning and maintenance and inner panels are finished in bright polished stainless steel and fitted with base and centre rodded shelves which enable good heat circulation. Static units have stainless steel legs, adjustable for height while mobile units are fitted with handles at both ends and 4 all swivel castors, 2 with brakes.



Static Bains Marie Hot Cupboards (dry heat only)
 Models 2FBS, 3FBS, 4FBS, 5FBS



Mobile Bains Marie Hot Cupboards (dry heat only)
 Models 2FBM, 3FBM, 4FBM, 5FBM

The temperature around the pans in the Bains Marie unit is controlled at 80-90C providing all the advantages of a wet well without the problems of scale.



Static Plain Hot Cupboards
 Models 2FHCS, 3FHCS, 4FHCS, 5FHCS



Mobile Plain Hot Cupboards
 Models 2FHCM, 3FHCM, 4FHCM, 5FHCM



Mobile units come complete with 125mm diameter all swivel castors 2 with brakes.

2FHCS 2FHCM	3FHCS 3FHCM	4FHCS 4FHCM	5FHCS 5FHCM	2FBS 2FBM	3FBS 3FBM	4FBS 4FBM	5FBS 5FBM	MODEL
54	63	73	82	54	63	73	82	Weight kg
850	1200	1500	1800	850	1200	1500	1800	Length mm
665	665	665	665	665	665	665	665	Depth mm
900	900	900	900	900	900	900	900	Height mm
1.0	2.0	2.0	2.4	2.0	2.0	2.0	2.5	Power rating kw

See price list for detailed specification

Please note: Gas Hot Cupboards & Bains Marie are not currently available for the Australian/NZ market.

Standard Hot Cupboards/Bains Marie

Overshelves for these products please see page 6



HC12G



HB13G
(shown with optional castors)

ALL standard hot cupboards and bains maries are 800mm deep as standard. 700mm deep units are available at no extra cost

(Gas Hot Cupboards can be supplied as natural gas or LPG. Please state at time of order.)

All these models are compatible with gastronorm containers (not supplied). Stainless steel doors are easy to lift off for easy cleaning and the stainless steel tops are complemented with stainless steel panels to front and sides. The interiors feature bright polished stainless steel and base and intermediate CP rod shelves are on heavy duty supports.

Doors both sides and locks can be added to these units see price list for details

Gas Units

Multifunctional control with gas regulator spark ignition and flame failure device, thermostatic control. Bain marie heated by residual heat from hot cupboard available for use with natural gas or LPG.



Standard Electric Plain Top Hot Cupboard Model HC9E



Standard Electric Bains Marie Hot Cupboard Model HB9E (shown with optional castors)



Tallboy Hot Cupboard Model THC18E

Overshelves are not suitable for use with this products.

Electric Units

Cupboards heated by forced air recirculation. Bain Marie well suitable for wet or dry heat powered by independent variable control with solid state elements.

MODEL	Wet well only								Tallboy Hot Cupboards							
	HC9G	HC12G	HC15G	HC18G	HB10G	HB13G	HB16G	HB19G	THC9E	THC12E	THC15E	THC18E	THC9G	THC12G	THC15G	THC18G
Type	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Gas	Electric	Electric	Electric	Electric	Gas	Gas	Gas	Gas
Weight kg	70	90	105	120	80	90	105	120	155	195	220	245	145	165	200	225
Length mm	900	1200	1500	1800	1000	1300	1600	1900	900	1200	1500	1800	900	1200	1500	1800
Depth mm	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
Height mm	900	900	900	900	900	900	900	900	1575	1575	1575	1575	1575	1575	1575	1575
Power rating kw	4.7	4.7	4.7	4.7	9.4	9.4	9.4	9.4	2.0	2.0	2.0	2.0	4.7	4.7	4.7	4.7
BTU per hr	16,050	16,050	16,050	16,050	32,100	32,100	32,100	32,100	-	-	-	-	16,050	16,050	16,050	16,050
Cutout for 1/1 Gastronorm Containers	-	-	-	-	2	3	4	5	-	-	-	-	-	-	-	-

MODEL	Wet or dry heat please state at time of order					Dry heat only								
	HC9ES	HC12ES	HC15ES	HC18ES	HC215ES	HB9ES	HB12ES	HB15ES	HB18ES	HB215ES	HD10G	HD13G	HD16G	HD19G
Type	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Gas	Gas	Gas	Gas
Weight kg	65	85	100	115	125	90	105	120	132	65	85	100	115	
Length mm	900	1200	1500	1800	2150	75	1200	1500	1800	2150	1000	1300	1600	1900
Depth mm	800	800	800	800	800	900	800	800	800	800	800	800	800	
Height mm	900	900	900	900	900	900	900	900	900	900	900	900	900	
Power rating kw	1.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	4.0	4.0	4.7	4.7	4.7	4.7
BTU per hr	-	-	-	-	-	3.0	-	-	-	-	16,050	16,050	16,050	16,050
Cutout for 1/1 Gastronorm Containers	-	-	-	-	-	2	3	4	5	6	2	3	4	5

Please note: Standard Bains Marie do not come complete with containers

Mobile Hot Cupboards

Overshelves are not suitable for use with these products.

Manufactured in stainless steel with Spritzer outer panels providing good looks and durability. Sliding doors on the MH9 and MHB9 lift off for easy cleaning and maintenance. All units are fitted with base and two intermediate shelves and supplied with 100mm diameter castors two fixed and two swivel with brakes. Optional tray slide, serving shelf available.

Mobile Hot Cupboards
 Models MH9, MHB9, MU9



MU9

Modular ambient units designed to complement the range.



MH9

A truly economical way of serving food. There are no expensive installation costs. Simply butt them together to form a continuous top and apply the brakes. Up to three powered units can be interconnected to one 15 amp plug. Simply set up in any area available for use during meal times and speedily remove after service when the area reverts to its normal function.



MHB9


Recessed top hot cupboard which can accommodate a variety of containers. Enables easy and flexible food service. Three internal shelves each have enclosed heating elements ensuring an even distribution of heat.

MH9	MHB9	MU9	MODEL
52	55	40	Weight kg
1015	1015	1015	Length mm
520	520	520	Depth mm
864	864	864	Height mm
0.9	0.9	-	Power rating kW

Overshelves



Available in single, two or three tiers as ambient or with quartz heat lamps under one or more shelves. Overshelves are supplied with an independent control unit with mains lead or as an addition to Versigen standard hot cupboard/bains marie. Provides an ideal kitchen servery or plating up point which can be used as a link between kitchen and waiting staff. (Bespoke units available on request).




MODEL	Ambient Unheated Overshelves											
	01A9	01A12	01A15	01A18	02A9	02A12	02A15	02A18	03A9	03A12	03A15	03A18
Length mm	890	1190	1490	1790	890	1190	1490	1790	890	1190	1490	1790
Depth mm	300	300	300	300	300	300	300	300	300	300	300	300
Height mm	325	325	325	325	650	650	650	650	975	975	975	975

MODEL	Quartz Lamp Heated Overshelves											
	01H9	01H12	01H15	01H18	02H9	02H12	02H15	02H18	03H9	03H12	03H15	03H18
Length mm	890	1190	1490	1790	890	1190	1490	1790	890	1190	1490	1790
Depth mm	300	300	300	300	300	300	300	300	300	300	300	300
Height mm	325	325	325	325	650	650	650	650	975	975	975	975
No of 300 Watt Lamps Fitted	2	3	4	5	4	6	8	10	6	9	12	15
Overall Loading kw	0.6	0.9	1.2	1.5	1.2	1.8	2.4	3.0	1.8	2.7	3.6	4.5


See price list for detailed specification

Roll Under Hot Cupboards for Drop-In units




HC85RU


- Inner and outer panels are made from 430 grade Stainless Steel. The top is made from 304 grade Stainless Steel.
- Top hung sliding doors.
- Base shelf only c/w rodded shelves
- Sahara fan heating.
- Hot cupboards supplied complete with curly cable and 10amp plug
- Units completely mobile on castors.



HC115RU



HC145RU



HC175RU

HC85RU	HC115RU	HC145RU	HC175RU
50	70	85	95
850	1150	1450	1750
600	600	600	600
600	600	600	600
1kw	1kw	1kw	2kw

MODEL
Weight kg
Width mm
Height mm
Depth mm
Power rating kw