

BOSCO TEK Industrial Workbenches

Industrial Workbenches are designed to support high loads and accommodate heavy-duty applications.

With a wide range of flexible accessory options, workbenches can be customised to the requirements of your specific application.


Height adjustable legs and shelving units, ensure workstations meet the ergonomic requirements of each individual.



ERGONOMICS

Available in a range of ergonomically designed heights for standing or sitting stations.

700mm benches are ideal for use as sitting stations and 900mm benches are suited to standing station applications.




700mm H


900mm H

COLOUR SELECTIONS

Standard



Premium



TOP SELECTIONS




T1- Standard - 800 kg UDL
 Solid Steel Black Satin Semi - Gloss
 Powder coated - 3mm steel top.



T3 - Hardboard on Steel - 800 kg UDL
 Black enamelled 3 mm Steel top with 5mm replaceable Hardboard.




T4 - Duraloid - 800 kg UDL
 18mm Laminated chipboard with 2mm Duraloid Bonded to top of face.
 High grade work surface which resist scuffing and withstands molten solder.



T4C -Antistatic - 800 kg UDL
 A high grade antistatic work surface bonded to 18mm chipboard edged all round with solid hardwood.



T6- Formica - 250 kg UDL
 White Formica/chipboard cover.
 The laminate is bonded to 32mm chipboard on all four sides and overlapping edges.



T7 - Stainless Steel - 800 kg UDL
 Satin finish stainless steel
 2.5 mm top



T8 - Heavy Duty Steel - 1500 kg UDL
 Heavy duty 5 mm Steel top reinforced with steel channel.
 Finished in black coat satin powder.



BT4 - Hardwood - 800 kg UDL
 35mm polished laminated hardwood.
 Top, bottom and edges sealed and rounded.



ASR - Anti Static Rubber



BTL - Brush Table

Warranty 12 month on moving parts; lifetime on static parts.

All Prices / Specifications subject to change without notice

Add 10%GST - Australia only



DURABLE, RELIABLE, STRONG

Industrial Workbenches are designed to support high loads and accommodate heavy-duty applications.

With a wide range of flexible accessory options, workbenches can be customised to the requirements of their specific application.

Height adjustable legs and shelving units, ensure workstations meet the ergonomic requirements of each individual.



1	Feature <i>Solid construction</i>
	Workbenches are constructed using the finest grade materials. Bench legs are manufactured from 3mm steel with standard mild steel tops from 3mm steel.
	Benefit <i>Reliable workspace solution</i>

2	Feature <i>Benchtop options</i>
	A range of benchtop options are available to create the perfect workbench for your application, choose from Stainless Steel, Dualoid, Anti Static, Hardwood and Heavy Duty Steel.
	Benefit <i>The perfect work surface for your application</i>

3	Feature <i>Accessory channel</i>
	Built in channel at front and rear of bench top to accommodate the installation of bench accessories.
	Benefit <i>Allows various accessories to be mounted including vices, shelves and clamps.</i>

4	Feature <i>Adjustable legs</i>
	Optional height adjustable legs enable the height of the work surface to be raised or lowered.
	Benefit <i>Accommodates various user heights and provides ergonomic benefits.</i>

5	Feature <i>Adjustable leveling feet or lockable castors</i>
	Adjustable levelling feet supplied as standard, lockable castors can be fitted if mobility is required.
	Benefit <i>Flexible workspace solutions.</i>

6	Feature <i>Adjustable and fixed shelving</i>
	Height adjustable or fixed shelves can be fitted, providing storage space for frequently accessed items. Shelving can be open or enclosed.
	Benefit <i>Accommodates items of various sizes and provides users with flexibility to position shelving at an ideal work height</i>

7	Feature <i>Undershelf light</i>
	Fluorescent lighting can be fitted to the underside of shelves providing illuminated work areas.
	Benefit <i>Improved working environment</i>

8	Feature <i>Power panels and boxes</i>
	Power panels, inserts or boxes can be incorporated
	Benefit <i>Access to power at bench level for tools or equipment.</i>

9	Feature <i>800kg weight capacity</i>
	Industrial workbenches can support loads of up to 800kg (UDL), making them ideal for heavy duty industrial applications.
	Benefit <i>High load capacity for industrial applications</i>




10	Feature <i>Adjustable and fixed shelving</i>
	Single or six drawer storage units can be used in conjunction with workbenches
	Benefit <i>Accommodates items of various sizes and provides users with flexibility to position shelving at an ideal work height</i>

11	Feature <i>Under shelf</i>
	The under shelf provides additional strength and stability to the bench and can be positioned at the base or back of the bench.
	Benefit <i>Improved structural integrity and uncompromised flexibility</i>

12	Feature <i>Flat packed design</i>
	Units are supplied in flat pack format
	Benefit <i>Ease of transport and disassembly</i>

Warranty 12 month on moving parts; lifetime on static parts.

All Prices / Specifications subject to change without notice




Bench Selection	Top selection	High mm	1200W x 760D mm	1500W x 760D mm	1800W x 760D mm
			Part Number	Part Number	Part Number
 <p>BT1 Industrial bench with Power Panel</p> <p>Consists of: BTWBI.H.W Bench leg and undershelf BTWBIT.TOP.W Top BTWBI.POWER.W Horizontal power panel</p>	T1	700	# BT1-127-T1	# BT1-157-T1	# BT1-187-T1
	Std - Mild Steel	900	# BT1-129-T1	# BT1-159-T1	# BT1-189-T1
	T3	700	# BT1-127-T3	# BT1-157-T3	# BT1-187-T3
	Hardboard	900	# BT1-129-T3	# BT1-159-T3	# BT1-189-T3
	T4	700	# BT1-127-T4	# BT1-157-T4	# BT1-187-T4
	Duraloid	900	# BT1-129-T4	# BT1-159-T4	# BT1-189-T4
	T4C	700	# BT1-127-T4C	# BT1-157-T4C	# BT1-187-T4C
	Antistatic	900	# BT1-129-T4C	# BT1-159-T4C	# BT1-189-T4C
	T6	700	# BT1-127-T6	# BT1-157-T6	# BT1-187-T6
	Formica	900	# BT1-129-T6	# BT1-159-T6	# BT1-189-T6
	T7	700	# BT1-127-T7	# BT1-157-T7	# BT1-187-T7
	S/steel	900	# BT1-129-T7	# BT1-159-T7	# BT1-189-T7
	T8	700	# BT1-127-T8	# BT1-157-T8	# BT1-187-T8
	HD Steel	900	# BT1-129-T8	# BT1-159-T8	# BT1-189-T8
BT4	700	# BT1-127-BT4	# BT1-157-BT4	# BT1-187-BT4	
Hardwood	900	# BT1-129-BT4	# BT1-159-BT4	# BT1-189-BT4	
ASR	700	# BT1-127-ASR	# BT1-157-ASR	# BT1-187-ASR	
A/Static Rubber	900	# BT1-129-ASR	# BT1-159-ASR	# BT1-189-ASR	
BTL	700	# BT1-127-BTL	# BT1-157-BTL	# BT1-187-BTL	
Brush Table	900	# BT1-129-BTL	# BT1-159-BTL	# BT1-189-BTL	
 <p>BT2 Industrial bench with 1 Drawer unit</p> <p>Consists of: BTWBI.H.W Bench leg and undershelf BTWBIT.TOP.W Top BTWBI.1D.150.560 Single drawer unit</p>	T1	700	# BT2-127-T1	# BT2-157-T1	# BT2-187-T1
	Std - Mild Steel	900	# BT2-129-T1	# BT2-159-T1	# BT2-189-T1
	T3	700	# BT2-127-T3	# BT2-157-T3	# BT2-187-T3
	Hardboard	900	# BT2-129-T3	# BT2-159-T3	# BT2-189-T3
	T4	700	# BT2-127-T4	# BT2-157-T4	# BT2-187-T4
	Duraloid	900	# BT2-129-T4	# BT2-159-T4	# BT2-189-T4
	T4C	700	# BT2-127-T4C	# BT2-157-T4C	# BT2-187-T4C
	Antistatic	900	# BT2-129-T4C	# BT2-159-T4C	# BT2-189-T4C
	T6	700	# BT2-127-T6	# BT2-157-T6	# BT2-187-T6
	Formica	900	# BT2-129-T6	# BT2-159-T6	# BT2-189-T6
	T7	700	# BT2-127-T7	# BT2-157-T7	# BT2-187-T7
	S/steel	900	# BT2-129-T7	# BT2-159-T7	# BT2-189-T7
	T8	700	# BT2-127-T8	# BT2-157-T8	# BT2-187-T8
	HD Steel	900	# BT2-129-T8	# BT2-159-T8	# BT2-189-T8
BT4	700	# BT2-127-BT4	# BT2-157-BT4	# BT2-187-BT4	
Hardwood	900	# BT2-129-BT4	# BT2-159-BT4	# BT2-189-BT4	
ASR	700	# BT2-127-ASR	# BT2-157-ASR	# BT2-187-ASR	
A/Static Rubber	900	# BT2-129-ASR	# BT2-159-ASR	# BT2-189-ASR	
BTL	700	# BT2-127-BTL	# BT2-157-BTL	# BT2-187-BTL	
Brush Table	900	# BT2-129-BTL	# BT2-159-BTL	# BT2-189-BTL	
 <p>BT3 Industrial bench with Power Panel and Adj. Top Shelf</p> <p>Consists of: BTWBI.H.W Bench leg and undershelf BTWBIT.TOP.W Top BTWBI.POWER.W Horizontal power panel BTWBI.AS.70.W.360 Adjustable shelf</p>	T1	700	# BT3-127-T1	# BT3-157-T1	# BT3-187-T1
	Std - Mild Steel	900	# BT3-129-T1	# BT3-159-T1	# BT3-189-T1
	T3	700	# BT3-127-T3	# BT3-157-T3	# BT3-187-T3
	Hardboard	900	# BT3-129-T3	# BT3-159-T3	# BT3-189-T3
	T4	700	# BT3-127-T4	# BT3-157-T4	# BT3-187-T4
	Duraloid	900	# BT3-129-T4	# BT3-159-T4	# BT3-189-T4
	T4C	700	# BT3-127-T4C	# BT3-157-T4C	# BT3-187-T4C
	Antistatic	900	# BT3-129-T4C	# BT3-159-T4C	# BT3-189-T4C
	T6	700	# BT3-127-T6	# BT3-157-T6	# BT3-187-T6
	Formica	900	# BT3-129-T6	# BT3-159-T6	# BT3-189-T6
	T7	700	# BT3-127-T7	# BT3-157-T7	# BT3-187-T7
	S/steel	900	# BT3-129-T7	# BT3-159-T7	# BT3-189-T7
	T8	700	# BT3-127-T8	# BT3-157-T8	# BT3-187-T8
	HD Steel	900	# BT3-129-T8	# BT3-159-T8	# BT3-189-T8
BT4	700	# BT3-127-BT4	# BT3-157-BT4	# BT3-187-BT4	
Hardwood	900	# BT3-129-BT4	# BT3-159-BT4	# BT3-189-BT4	
ASR	700	# BT3-127-ASR	# BT3-157-ASR	# BT3-187-ASR	
A/Static Rubber	900	# BT3-129-ASR	# BT3-159-ASR	# BT3-189-ASR	
BTL	700	# BT3-127-BTL	# BT3-157-BTL	# BT3-187-BTL	
Brush Table	900	# BT3-129-BTL	# BT3-159-BTL	# BT3-189-BTL	

Also see our "High Density Cabinets" and "Heuer vises and Jaws" brochures

Please email to spacepac@spacepac.com.au for current pricing

All Prices / Specifications subject to change without notice

Add 10%GST - Australia only

Bench Selection	Top selection	High mm	1200W x 760D mm	1500W x 760D mm	1800W x 760D mm
			Part Number	Part Number	Part Number
 <p>BT4 Industrial bench with Horizontal Power Panel & High Density Cabinet - Bare (560 x 755 x 810H mm) - (Drawers: 75,150, 150,150, 300mm)</p> <p>Consists of: BTWBI.LEG.900 Industrial bench leg BTWBIT.TOP.W Top BTWBI.POWER.W Horz power panel BTWBI.CAB.US.70.W.250 Underbench shelf BTCD.850.560.1.3.0.0.1 High density cabinet BTCD.PL.90.560 High density plinth</p>	T1 Mild Steel	900	# BT4-129-T1	# BT4-159-T1	# BT4-189-T1
	T3 Hardboard	900	# BT4-129-T3	# BT4-159-T3	# BT4-189-T3
	T4 Duraloid	900	# BT4-129-T4	# BT4-159-T4	# BT4-189-T4
	T4C Antistatic	900	# BT4-129-T4C	# BT4-159-T4C	# BT4-189-T4C
	T6 Formica	900	# BT4-129-T6	# BT4-159-T6	# BT4-189-T6
	T7 S/steel	900	# BT4-129-T7	# BT4-159-T7	# BT4-189-T7
	T8 HD Steel	900	# BT4-129-T8	# BT4-159-T8	# BT4-189-T8
	BT4 Hardwood	900	# BT4-129-BT4	# BT4-159-BT4	# BT4-189-BT4
	ASR A/Static Rub	900	# BT4-129-ASR	# BT4-159-ASR	# BT4-189-ASR
BTL Brush	900	# BT4-129-BTL	# BT4-159-BTL	# BT4-189-BTL	
 <p>BT5 Industrial bench with Power Panel, Adj. Top Shelf & HD Cabinet (560 x 755 x 810H mm)- (Drawers: 75, 150,150, 150, 300mm)</p> <p>Consists of: BTWBI.LEG.900 Industrial bench leg BTWBIT.TOP.W Top BTWBI.POWER.W Horz power panel BTWBI.AS.70.W.360 Adjustable shelf BTWBI.CAB.US.70.W.250 Underbench shelf BTCD.850.560.1.3.0.0.1 High density cabinet BTCD.PL.90.560 High density plinth</p>	T1 Mild Steel	900	# BT5-129-T1	# BT5-159-T1	# BT5-189-T1
	T3 Hardboard	900	# BT5-129-T3	# BT5-159-T3	# BT5-189-T3
	T4 Duraloid	900	# BT5-129-T4	# BT5-159-T4	# BT5-189-T4
	T4C Antistatic	900	# BT5-129-T4C	# BT5-159-T4C	# BT5-189-T4C
	T6 Formica	900	# BT5-129-T6	# BT5-159-T6	# BT5-189-T6
	T7 S/steel	900	# BT5-129-T7	# BT5-159-T7	# BT5-189-T7
	T8 HD Steel	900	# BT5-129-T8	# BT5-159-T8	# BT5-189-T8
	BT4 Hardwood	900	# BT5-129-BT4	# BT5-159-BT4	# BT5-189-BT4
	ASR A/Static Rub	900	# BT5-129-ASR	# BT5-159-ASR	# BT5-189-ASR
BTL Brush	900	# BT5-129-BTL	# BT5-159-BTL	# BT5-189-BTL	
 <p>BT6 Horz Power Panel, Adj Top Shelf & 2x HD Cabinets (560 x 755 x 810H mm): 2 Drawers: 75, 150,,150, 150, 300mm)</p> <p>Consists of: TWBIT.TOP.W Top BTWBI.POWER.W Horz power panel BTWBI.AS.70.W.360 Adjustable shelf BTCD.850.560.1.3.0.0.1 High density cabinet BTCD.PL.90.560 High density plinth BTCD.850.560.1.3.0.0.1 High density cabinet BTCD.PL.90.560 High density plinth</p>	T1 Mild Steel	900	# BT6-129-T1	# BT6-159-T1	# BT6-189-T1
	T3 Hardboard	900	# BT6-129-T3	# BT6-159-T3	# BT6-189-T3
	T4 Duraloid	900	# BT6-129-T4	# BT6-159-T4	# BT6-189-T4
	T4C Antistatic	900	# BT6-129-T4C	# BT6-159-T4C	# BT6-189-T4C
	T6 Formica	900	# BT6-129-T6	# BT6-159-T6	# BT6-189-T6
	T7 S/steel	900	# BT6-129-T7	# BT6-159-T7	# BT6-189-T7
	T8 HD Steel	900	# BT6-129-T8	# BT6-159-T8	# BT6-189-T8
	BT4 Hardwood	900	# BT6-129-BT4	# BT6-159-BT4	# BT6-189-BT4
	ASR A/Static Rub	900	# BT6-129-ASR	# BT6-159-ASR	# BT6-189-ASR
BTL Brush	900	# BT6-129-BTL	# BT6-159-BTL	# BT6-189-BTL	

Also see our "High Density Cabinets" and "Heuer vises and Jaws" brochures

Please email to spacepac@spacepac.com.au for current pricing

All Prices / Specifications subject to change without notice

Bench Selection	Top selection	High mm	1200W x 760D mm	1500W x 760D mm	1800W x 760D mm
			Part Number	Part Number	Part Number
 <p>BT7 Industrial bench with Horz Power Panel & HDCabinet (560 x 755 x 810H mm) - (Drawers: 75, 150,150, 150, 300mm)</p> <p>Consists of: TWBIT.TOP.W Top BTWBI.POWER.W Horz power panel BTWBI.AS.70.W.360 Adjustable shelf BTCD.850.560.1.3.0.0.1 High density cabinet BTCD.PL.90.560 High density plinth BTCD.850.560.DOOR.LH High density cabinet BTCD.PL.90.560 High density plinth</p>	T1 Mild Steel	900	# BT7-129-T1	# BT7-159-T1	# BT7-189-T1
	T3 Hardboard	900	# BT7-129-T3	# BT7-159-T3	# BT7-189-T3
	T4 Duraloid	900	# BT7-129-T4	# BT7-159-T4	# BT7-189-T4
	T4C Antistatic	900	# BT7-129-T4C	# BT7-159-T4C	# BT7-189-T4C
	T6 Formica	900	# BT7-129-T6	# BT7-159-T6	# BT7-189-T6
	T7 S/steel	900	# BT7-129-T7	# BT7-159-T7	# BT7-189-T7
	T8 HD Steel	900	# BT7-129-T8	# BT7-159-T8	# BT7-189-T8
	BT4 Hardwood	900	# BT7-129-BT4	# BT7-159-BT4	# BT7-189-BT4
	ASR A/Static Rub	900	# BT7-129-ASR	# BT7-159-ASR	# BT7-189-ASR
	BTL Brush	900	# BT8-129-BTL	# BT8-159-BTL	# BT8-189-BTL
 <p>BT8 Industrial bench with Adjustable Legs (740; 815; 890; 965 and 1040mm H)</p> <p>Consists of: BTWBI.H.W Bench leg and undershelf BTWBIT.TOP.W Top BTWBI.LEG.LIFT.KIT Height adjustable legs</p> <p><i>Also see page 6 for options</i></p>	T1 Std - Mild Steel	700	# BT8-127-T1	# BT8-157-T1	# BT8-187-T1
	T3 Hardboard	700	# BT8-127-T3	# BT8-157-T3	# BT8-187-T3
	T4 Duraloid	700	# BT8-127-T4	# BT8-157-T4	# BT8-187-T4
	T4C Antistatic	700	# BT8-127-T4C	# BT8-157-T4C	# BT8-187-T4C
	T6 Formica	700	# BT8-127-T6	# BT8-157-T6	# BT8-187-T6
	T7 S/steel	700	# BT8-127-T7	# BT8-157-T7	# BT8-187-T7
	T8 HD Steel	700	# BT8-127-T8	# BT8-157-T8	# BT8-187-T8
	BT4 Hardwood	700	# BT8-127-BT4	# BT8-157-BT4	# BT8-187-BT4
	ASR A/Static Rubber	700	# BT8-127-ASR	# BT8-157-ASR	# BT8-187-ASR
	BTL Brush Table	700	# BT8-127-BTL	# BT8-157-BTL	# BT8-187-BTL
 <p>BT9 Industrial bench with Horizontal Power Panel & High Density Cupboard</p> <p>Consists of: BTWBI.LEG.900 Industrial bench leg BTWBIT.TOP.W Top BTWBI.POWER.W Horz power panel BTWBI.AS.70.W.360 Adjustable shelf BTWBI.CAB.US.70.W.250 Underbench shelf BTCD.850.560.DOOR.RH High density cabinet BTCD.PL.90.560 High density plinth</p>	T1 Mild Steel	900	# BT9-129-T1	# BT9-159-T1	# BT9-189-T1
	T3 Hardboard	900	# BT9-129-T3	# BT9-159-T3	# BT9-189-T3
	T4 Duraloid	900	# BT9-129-T4	# BT9-159-T4	# BT9-189-T4
	T4C Antistatic	900	# BT9-129-T4C	# BT9-159-T4C	# BT9-189-T4C
	T6 Formica	900	# BT9-129-T6	# BT9-159-T6	# BT9-189-T6
	T7 S/steel	900	# BT9-129-T7	# BT9-159-T7	# BT9-189-T7
	T8 HD Steel	900	# BT9-129-T8	# BT9-159-T8	# BT9-189-T8
	BT4 Hardwood	900	# BT9-129-BT4	# BT9-159-BT4	# BT9-189-BT4
	ASR A/Static Rub	900	# BT9-129-ASR	# BT9-159-ASR	# BT9-189-ASR
	BTL Brush	900	# BT9-129-BTL	# BT9-159-BTL	# BT9-189-BTL


Also see our "High Density Cabinets" and "Heuer vises and Jaws" brochures

Please email to spacepac@spacepac.com.au for current pricing

All Prices / Specifications subject to change without notice

Create your own Workbench Using Our Storage Components

1. Select your workbench size



High mm	1200W x 760D mm	1500W x 760D mm	1800W x 760D mm
	Part Number	Part Number	Part Number
700	# BTWBI.700.1200	# BTWBI.700.1500	# BTWBI.700.1800
900	# BTWBI.900.1200	# BTWBI.900.1500	# BTWBI.900.1800


ADJUSTABLE LEG OPTION #BTWBI.LEG.LIFT.KIT; HEIGHT RANGE IS 740, 815, 890, 965 & 1040 mm

2. Select your workbench top option.



Top selection	1200W x 760D mm	1500W x 760D mm	1800W x 760D mm
	Part Number	Part Number	Part Number
T1 Standard	# BTWBIT.ST.1200	# BTWBIT.ST.1500	# BTWBIT.ST.1800
T3 H/board	# BTWBIT.HB.1200	# BTWBIT.HB.1500	# BTWBIT.HB.1800
T4 Duraloid	# BTWBIT.DL.1200	# BTWBIT.DL.1500	# BTWBIT.DL.1800
T4C A/static	# BTWBIT.AS.1200	# BTWBIT.AS.1500	# BTWBIT.AS.1800
T6 Formica	# BTWBIT.FM.1200	# BTWBIT.FM.1500	# BTWBIT.FM.1800
T7 S/steel	# BTWBIT.SS.1200	# BTWBIT.SS.1500	# BTWBIT.SS.1800
T8 HD Steel	# BTWBIT.HD.1200	# BTWBIT.HD.1500	# BTWBIT.HD.1800
BT4 H/Wood	# BTWBIT.HW.1200	# BTWBIT.HW.1500	# BTWBIT.HW.1800
ASR A/Static Rub	# BTWBIT.AS.1200	# BTWBIT.AS.1500	# BTWBIT.AS.1800
BTL Brush Table	# BT.BRUSH.TABLE.15.1200	# BT.BRUSH.TABLE.15.1500	# BT.BRUSH.TABLE.15.1800

3. Select your accessory options.



Part Number	Description
# BTWBI.AS.70.1200.360	Adjustable shelf 360mm deep- to suit 1200mm Wide bench includes 2 brackets (65 x 1200 x 360)
# BTWBI.AS.70.1500.360	Adjustable shelf 360mm deep- to suit 1500mm Wide bench includes 2 brackets (65 x 1500 x 360)
# BTWBI.AS.70.1800.360	Adjustable shelf 360mm deep- to suit 1800mm Wide bench includes 2 brackets (65 x 1800 x 360)
# BTWBI.LEG.LIFT.KIT	Leg Adjustment Kit (4 pieces) 650 x 80 x 85
# BTWBI.CASTOR.KIT	Castor kit includes 4 braking castors 125 X 50 X 150 (DIA. 100)
# BTWBI.POWER.1200	Horizontal power panel suits 1200 wide bench (182 x 1200 x 30)
# BTWBI.POWER.1500	Horizontal power panel suits 1500 wide bench (182 x 1500 x 30)
# BTWBI.POWER.1800	Horizontal power panel suits 1800 wide bench (182 x 1800 x 30)
# BTWBI.POWER.KIT	Power Kit c/w 4xDBL P/Points, 2m Flex & Plug-fitted to backpanel
# BT.MONITOR.STD	Monitor Stand to suit Industrial Workbench
# BTWBI.1D.150.500	Single Drawer Unit
# BTWBI.SHELF.LIGHT	Linkable Fluro Complete with Cable and Plug



Please also see our "High Density Cabinet" Brochures



Please also see our "Vise" Brochures

Warranty 12 month on moving parts; lifetime on static parts.

All Prices / Specifications subject to change without notice