



# MATERIAL HANDLING



**2010**  
**Product Catalogue**  
 AUSTRALIA / NEW ZEALAND



## Colour Guide



## Tilt Trucks

USDA FDA

Industrial strength construction transports heavy loads with ease.

- Easy to handle and manoeuvre through commercial doorways and onto elevators.
- Angled front end is designed for convenient dumping.
- Smooth surface is easy to clean and resists pitting and corroding.
- Optional hinged domed lids available.
- USDA, FDA compliant materials.
- Non-marking castors reduce touch-up cleaning.



Insert wheel position prevents damage to surroundings.

No.	Description	Metric Dimensions	Metric Size	Metric Capacity	Colour	Pack
1011	Structural Foam, Utility Duty	163.8 cm l x 76.8 cm w x 96.5 cm h	600 L	272 kg	BLA	1
1304	Rotomoulded Tilt Truck, Utility Duty	144.1 cm l x 71.1 cm w x 98.1 cm h	400 L	204.1 kg	BLA	1
1314	Rotomoulded Tilt Truck, Utility Duty	183.5 cm l x 85.1 cm w x 111.1 cm h	800 L	385.6 kg	BLA	1



## Tilt Truck Lids

No.	Description	Metric Dimensions	Colour	Pack
1028	Lid for 1011	154.9 cm l x 80.60 cm w x 22.2 cm h	BLA	1
1307	Lid for 1304	143.5 cm l x 72.4 cm w x 22.9 cm h	BLA	1
1317	Lid for 1314	176.5 cm l x 86.4 cm w x 21.6 cm h	BLA	1

## Cube Trucks

Cube trucks for waste collection, material transport and laundry handling.

- Durability of Rotational Molding technology.
- Metal frame provides durable support.
- Spring platform option brings contents to a convenient working level, ideal for laundry handling.
- USDA Meat & Poultry Equipment compliant.
- Assists in complying with HACCP guidelines.



No.	Description	Metric Dimensions	Metric Size	Metric Capacity	Colour	Pack
4608	Cube Truck	96.5 cm l x 66 cm w x 71.4 cm h	200 L	136.1 kg	BLA	1
4611	Spring Platform Truck	112.1 cm l x 78.7 cm w x 82.6 cm h	400 L	226.8 kg	BLA	1

## Triple® Trolley

Efficiently transports large bulky loads, and then folds flat for easy storage.

- Sturdy structural foam deck won't rust, dent, chip or peel.
- Non-skid platform surface helps prevent load shifting.
- Three-position handle lets users push, pull or fold flat for use as a dolly.
- Castors are non-marking.



No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
4400	Triple® Trolley, Utility Duty	82.6 cm l x 52.1 cm w	113.4 kg	BLA	1



## Platform Trucks

Built for durability and efficient mobility of heavy loads.

- Sturdy structural foam construction won't rust, dent, chip, peel, or splinter.
- Complete range of models for versatility.
- Virtually maintenance free.
- Pneumatic wheels available (4592).



4403



### Duramold™

Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. We test and retest our products to meet rigorous durability standards, and our new material handling products are no exception. Real-world rugged durability, innovative technology, and best-in-class features combine to create longer lasting products that carry heavy loads—and make your work easier.

Duramold™ decks are formed from a precision engineered resin and metal composite structure that is lighter than typical steel/wood products without sacrificing strength, which enables weight reduction and improved ergonomics.



No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4403	Utility Platform Truck, 12.7 cm rubber castors, crossbar handle	101 cm l x 61 cm w x 99 cm h	61 cm w x 91 cm l	226.8 kg	BLA	1
4433	Utility Platform Truck, rubber castors, crossbar handle	130.5 cm l x 61 cm w x 93.3 cm h	61 cm w x 121 cm l	226.8 kg	BLA	1

## Work-Height Platform Truck

Unique, adjustable design allows platform deck to be placed at one of three work heights.

New!

**BETTER LOAD RETENTION**  
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

**KEEP LOADS IN PLACE**  
Textured deck reduces load slippage.

**DURAMOLD**

4473

See it in ACTION  
[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



### CHEMICAL & WATER RESISTANT CASTORS

TPR castors absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



### REDUCE LIFTING & BENDING

Easily moveable platform adjusts to three work heights, helping to safeguard user well-being and improve productivity.

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4473	Work-Height Platform Truck	129 cm l x 61.6 cm w x 119 cm h	61 cm w x 121 cm l	907.2 kg	BLA	1

\* Castor kit available

## 5<sup>TH</sup> Wheel Wagon Truck

Move heavy loads across rough surfaces, indoors and out.

New!



### BETTER CONTROL

The pivoting 5<sup>th</sup> wheel design provides a tight turning radius for maximum manoeuvrability.

### MOVE LOADS SAFELY

Turn stop prevents tipping/dumping of load.



4477



### EASY TO USE

Vinyl grip handle stays upright when not in use.


### KEEP LOADS SECURE

Four tie-down points, two on each side, help with load retention.

### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4477	5th Wheel Wagon Truck	143 cm l x 61.6 cm w x 44.5 cm h	61 cm w x 121 cm l	907.2 kg	BLA	1



## Sheet & Panel Truck and A-Frame Panel Truck

Transport large, bulky sheet goods and hard-to-handle loads such as doors, lumber, sheet rock, tables, and cubicle walls.

**New!**

### MOVE HARD-TO-HANDLE LOADS

Three removable powder-coated steel vertical frames provide support for bulky loads. Frames can be removed as needed based on load requirements.

**DURAMOLD**

### BUILT-IN SAFETY FEATURES

Retainer clips lock frames securely in place and prevent unintended removal. Four tie-down points, two on each side, help with load retention.

4468



### HOLDS SHEET GOODS SECURELY

High-side inclined frame and side rail holds load firmly in place during transit.

### KEEP LOADS IN PLACE

Textured deck surface reduces load slippage.

4463

**DURAMOLD**

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4463	A-Frame Panel Truck	129 cm l x 61.6cm w x 114cm h	61 cm w x 121 cm l	907.2 kg	BLA	1
4468	Sheet & Panel Truck	129 cm l x 61.6cm w x 101.2cm h	61 cm w x 121 cm l	907.2 kg	BLA	1

\* Castor kit available

## SIDE PANEL PLATFORM TRUCK

Ideal for transporting small packages and materials.

**ENHANCE USER COMFORT**  
Side panel cut-outs allow easy access to load.

**New!**

### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support

4484



### 7.62cm X 7.62cm GRID SIDE PANELS

Heavy-duty wire side panels retain small packages and items.

### BETTER LOAD RETENTION

Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

### BUILT-IN SAFETY FEATURES

Retainer clips prevent unintended handle removal.

**DURAMOLD**

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4484	Side Panel Platform Truck	111.8 cm l x 61.6 cm w x 99.7 cm h	61 cm w x 91 cm l	453.6 kg	BLA	1
4486	Side Panel Platform Truck	142 cm l x 61.6 cm w x 104.8 cm h	61 cm w x 121 cm l	907 kg	BLA	1

\* Castor kit available

## Stanchion Platform Truck

Safely transport long, bulky loads such as roll goods, pipe, lumber, carpet, and linoleum.

**New!**



**EASY LOADING AND UNLOADING**  
 Removable heavy-duty steel corner posts allow access to load. Corner post retainer clips prevent unintended removal.



**REDUCE LOAD SLIPPAGE**  
 Textured deck surface reduces load slippage.

**KEEP LOADS SECURE**  
 Four molded-in tie-down points provide additional load security.

**DURAMOLD**

**RUGGED CONSTRUCTION**  
 Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4482	Stanchion Platform Truck	128.9 cm l x 61.6 cm w x 108 cm h	61 cm w x 121 cm l	1134 kg	BLA	1

\* Castor kit available

## Dunnage Racks

Perfect for storing frozen, cold or dry goods off of the floor.

**New!**



4489

4490

4491



**FREEZER SAFE**  
 Withstands temperatures from -28.9° to 48.9°C



**HELPS ENSURE PRODUCT QUALITY**  
 Slotted deck allows maximum air circulation for perishable or dry goods.

**DURAMOLD**

**CUSTOMISABLE**  
 Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

No.	Description	Overall Dimensions	Deck Size	Load Capacity	Colour	Pack
4489	Dunnage Rack	91.4 cm l x 61 cm w x 30.5 cm h	61 cm w x 91 cm l	681 kg	BLA	1
4490	Dunnage Rack	121 cm l x 61 cm w x 30.5 cm h	61 cm w x 121 cm l	907 kg	BLA	1
4491	Dunnage Rack	152 cm l x 76 cm w x 30.5 cm h	76 cm w x 152 cm l	907 kg	BLA	1

## Heavy-Duty Utility & Service Carts

Perfect for transporting equipment and heavy loads in any environment.

- Sturdy structural foam construction won't rust, dent, chip or peel.
- Standard cup holder and storage compartments on top shelf.
- Rounded corners protect walls and furniture.
- Lightweight and manoeuvrable.
- 12.7cm diameter, non-marking castors 2 fixed and 2 swivel.

**New Design!**



**BUILT-IN PRODUCTIVITY**  
 V-notch holds pipe securely for safe cutting.

**KEEP LOADS SECURE**  
 Deep pocket shelves keep contents in place.



**MANOEUVRE SAFELY**  
 Variable grip-height handle improves control and worker safely.



4520-88



**CUSTOMISABLE**  
 Molded-in fittings allow you to add pipe or rods to hold wire spools or rods to hold wire spools and other roll type goods.



4520-88

No.	Description	Overall Dimensions	Load Capacity	Colour	Pack
4500-88	2 Shelf Utility Cart	99 cm l x 45.4 cm w x 84.5 cm h	227 kg	BLA, BEIG	1
4520-88	2 Shelf Utility Cart	114.9 cm l x 65.7 cm w x 84.5 cm h	227 kg	BLA, BEIG	1



3353-88



3354-88



4592



4506

### Accessories

No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
3353-88	Refuse Bin	55.9 cm h x 43.2 cm w x 30.3 cm d	30.3 L	BLA	2
3354-88	Utility Bin	26.7 cm h x 43.2 cm w x 30.8 cm d	15.1 L	BLA	2
4592	20 cm Pneumatic Castor Kit (Fits 450088, 452088) 2 fixed and 2 swivel (no brakes)	21.8 cm l x 10.2 cm w x 25.4 cm h	11.6 kg	0000	1
4506	Single Half Extension Drawer (Fits 4500-88)	63.5 cm l x 43.2 cm w x 11.7 cm h	6.1 kg	RED	1
4501-L1	12.7 cm Rigid Castor fits 4500, 4520, 4505, 4525			BLA	1
4501-L2	12.7 cm Swivel Castor fits 4500, 4520, 4505, 4525			BLA	1

## Flat Shelf Carts

Versatile flat shelves designed to transport oversized, bulky items.

- Sturdy structural foam construction won't rust, dent, chip or peel.
- All-plastic design provides easy maintenance and quiet operation.
- Large, non-marking 12.7cm diameter castors reduce touch-up cleaning.
- Moulded-in cord wrap manages extension cords.
- Flat top is a convenient work surface.

**New Design!**

4505



4525



No.	Description	Metric Dimensions	Load Capacity	Colour	Pack
4505	Flat Shelf Utility Cart	96.2 cm l x 48.7 cm w x 84.6 cm h	227 kg max cart 113.5 kg per shelf	BLA, BEIG	1
4525	Flat Shelf Utility Cart	111.4 cm l x 65.1 cm w x 84.6 cm h	227 kg max cart 113.5 kg per shelf	BLA, BEIG	1

## Trades Carts

Moves productivity right to the work site – a total tool storage and mobile workbench system.



- Carts move easily over hard surfaces, through elevators and doorways.
- Flat surface at ergonomic height provides convenient work area.
- 12.7cm diameter, non-marking castors for easy mobility.
- Four compartmentalized boxes for storing assorted parts and hardware.
- Fully enclosed, lockable storage compartment helps keep tools and materials secure (with 6180L7).
- Two storage bins hold essential hand tools and supplies.
- Flat surface at user-friendly height provides convenient work area.



6180



6180 / 6180L7

No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
6180	Trades Cart with (12.7 cm) Castors, includes 2 parts boxes and 4 parts bins	96.5 cm l x 48.9 cm w x 84.8 cm h	81.6 kg top shelf, 68 kg bottom shelf	BLA	1
6180L7	Panel door Kit for 6180	N/A	N/A	RED	1
4592	20 cm Pneumatic Castor Kit (fits 6180) 2 Fixed and 2 Swivel (no locks)	21.8 cm l x 10.2 cm w x 25.4 cm h	11.6 kg	0000	2

## 5-Drawer Mobile Work Center

Heavy-duty work surface supports up to 113kg.

- Built-in cord wrap provides neat, convenient storage.
- Castors allow easy manoeuvrability and are lockable for safety.
- Locking bar provides security and keeps drawers from sliding open during transport.
- Pegboard side panels provide convenient tool organization.
- Includes 10.2cm diameter, non-marking castors (two fixed and two swivel).



7734-88



No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
7734-88	5-Drawer Mobile Work Centre	82.91 cm l x 50.6 cm w x 85.1 cm h	113kg	BLA	1

## Executive Service Cart

Rubbermaid Commercial Products' Executive Service Cart is the elegant and versatile solution for back and front-of-house tasks.

- 20% more top shelf capacity compared to 3424-88.  
The large shelf accommodates two bus/utility boxes.
- 137kg weight load capacity. (45.5kg per shelf)
- Durable construction with easy snap-and-lock assembly.
- Wrap around end panels on 2 sides.
- Smooth surface is easy to clean and maintain.
- 10.2cm all swivel non-marking castors.



9T68-00

**ERGONOMIC ROUNDED HANDLES** ■  
Improves manoeuvrability and comfort.

**WRAP-AROUNDED END PANELS** ■  
Helps keep items on the carts.

**SOLID ROUNDED BUMPER** ■  
Gentle on walls and furniture.



**INCREASED CAPACITY**  
Accommodates two bus/utility boxes on top shelf.



**ATTRACTIVE STYLING**  
Ideal for front-of-house use.

No.	Description	Dimensions	Metric Capacity	Metric Ship Wt.	Colour	Pack
9T68-00	Executive Service Cart	99.1 cm l x 53.3 cm w x 96.5 cm h	137kg	14.32kg	BLA	1
3424-L6	10 cm Swivel Castor fits 9T68, 9T72, 342488, 3457, 4091, 4092, 4093, 4094, 4095 & 4096				BLA	1

## Utility & Service Carts

Versatile, durable carts perform a wide variety of tasks.

- Moulded shelves won't rust, dent or require painting.
- Plastic construction minimizes noise.
- Convenient handles located on each end and compact size enhances manoeuvrability.
- Assists in complying with HACCP guidelines.
- Non-marking swivel castors reduce touch-up cleaning.



3457 Utility cart including lockable doors and sliding drawer



3424-88



3457



Stylish utility cart with brushed aluminium uprights and large 10.2cm castors

No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
3424-88	Utility Cart with (10.2 cm) Swivel Castors, Brushed Aluminum Uprights	85.4 cm l x 47.3 cm w x 95.9 cm h	90.7 kg	BLA PLAT	1
3457	Utility Cart w/Lockable Doors, Sliding Drawer and (10.2 cm) Swivel Castors	85.4 cm l x 47.3 cm w x 95.9 cm h	90.7 kg	BLA	1

## Xtra™ Carts

Durable and attractive carts function in front and back of house applications.

- Aluminum uprights and moulded shelves engineered for durability and appearance.
- Non-marking 10.2cm swivel castors.
- Large shelves hold a variety of equipment and supplies up to 136kg.
- Available with locking doors, enclosure panels, utility bins.



4091



4092



4093



4094



4095



4096



6199 utility sliding drawer

No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
4091	Utility Cart, Open Sided	103.2 cm l x 50.8 cm w x 96 cm h	136.1 kg	BLA, OWHT	1
4092	Utility Cart, Enclosed on 2 Sides	103.2 cm l x 50.8 cm w x 96 cm h	136.1 kg	OWHT	1
4093	Utility Cart, Enclosed on 3 Sides	103.2 cm l x 50.8 cm w x 96 cm h	136.1 kg	BLA, OWHT	1
4094	Instrument Cart with Lockable Doors and Sliding Drawer	103.2 cm l x 50.8 cm w x 96 cm h	136.1 kg	GREY	1
4095	Equipment Cart	103.2 cm l x 52.7 cm w x 96.2 cm h	136.1 kg	BLA	1
4096	4 Shelf Cart	103.2 cm l x 50.8 cm w x 129.5 cm h	136.1 kg	BLA	1

## Accessories



3353-88



3354-88

No.	Description	Metric Dimensions	Metric Capacity	Colour	Pack
3353-88	Refuse Bin fits 4091, 4093, 4094, 4095, 4096, 3424-88 Utility Carts	55.9 cm h x 43.2 cm w x 30.5 cm d	30.3 L	BLA	2
3354-88	Utility Bin fits 4091, 4093, 4094, 4095, 4096, 3424-88, 9T68-00 Utility Carts	26.7 cm h x 43.2 cm w x 30.8 cm d	15.1 L	BLA	2
6199	Utility Sliding Drawer w/Lock fits 4091, 4092, 4093, 4094, 4095 & 4096			BLA	1
3424-L6	10 cm Swivel Castor fits 9T68, 9T72, 342488, 3457, 4091, 4092, 4093, 4094, 4095 & 4096			BLA	1
4094-L1	Instrument Cart Door Kit fits 4091			BLA	1



## Certifications



Rubbermaid Commercial Products LLC  
 3124 VALLEY AVENUE  
 WINCHESTER, VIRGINIA 22601, USA  
 CERTIFICATE NUMBER FM 31148  
 2000 OVERHEAD BRIDGE ROAD  
 CLEVELAND, TENNESSEE 37312, USA  
 CERTIFICATE NUMBER FM 33122  
 operates a quality management system  
 which complies with the requirements  
 of BS EN ISO 9002/Winchester, Va. and  
 BS EN ISO 9001/Cleveland, Tn.

### AMERICANS WITH DISABILITIES ACT (ADA)

- The ADA prohibits discrimination and ensures equal opportunity for persons with disabilities in employment, State and local government services, public accommodations, commercial facilities, and transportation
- Rubbermaid Commercial Products refuse containers need to comply with the ADA regulations; as long as "access openings" for containers are below 48", containers are compliant to ADA regulations.

**ADA**

### USGBC

As a member of the United States Green Building Council, we are dedicated to promoting products for buildings that are environmentally responsible and healthy places to work. We offer over 1,000 products that contribute to buildings achieving LEED Certification.

Visit [www.rcpworksmarter.com](http://www.rcpworksmarter.com) for more information on USGBC and LEED Certification.



### ISTA

International Safe Transit Association. The Compacted Mops were tested and certified via ISTA Test Procedures.

### ISO 9000

**ISO 9000 is an internationally recognized quality management system that provides:**

- Guidance for businesses that want to implement or improve quality systems within their business;
- Benchmarks that customers can use to evaluate a supplier's quality system.

**ISO Certification of the Commercial Products Facilities perfectly embodies Rubbermaid principles:**

- ISO certification represents a commitment to continuous value improvement. Rather than look at particular products, ISO 9000 reviews the systems and procedures through which businesses assure quality products.
- ISO certification shows that a company has built a culture of quality.
- ISO certification demonstrates a commitment to world class quality systems and the global marketplace.

### FM

Factory Mutual is an independent testing agency whose approvals are based on Standard 6921 Combustible Waste Containers. Standard 6921 is performance criteria for containers with covers (lids) and their ability to withstand internal fires, maintain a certain range of stability, if dumped, and stay intact over a wide temperature range. Standard 6920 is performance criteria for Oily Waste Containers.



### ASTM

ASTM F-404-99 is an American Society for Testing and Materials' safety standard for evaluating a High Chair. A "test dummy" that simulates a child of predetermined size is strapped into the chair and various push, pulls and racking tests are conducted on the chair and also using the dummy to simulate forces required to remove dummy, to determine the safety aspects of ensuring proper confinement within the chair without causing harm to the child.



### HACCP

Hazard Analysis and Critical Control Points is a systematic method using principles (Food Hygiene Practices) for analyzing a food process and determining the possible chemical, physical, and biological hazards within that process, that should prevent any unsafe food from leaving the process (this process could be for a food processing plant or food preparation in a restaurant).

The seven principles are:

1. Application, 2. HACCP Plan Validation, 3. Quality Manual Review, 4. On-site Readiness Review, 5. Registration Audit, 6. Registration, 7. Surveillance.

### NSF

National Sanitation Foundation is an independent testing lab/organization in Ann Arbor, Michigan. NSF lists products which meet their criteria for cleanability and sanitation: food contact, splash zone and non-food contact, per Standard 2: Food Equipment and Standard 18: Manual Beverage Dispensers. Also, Standard 21: Thermoplastic Refuse Containers.



### CSFM

California State Fire Marshal listing is obtained for various types of containers once tested (by independent testing laboratories) against specific criteria. Following our receipt of UL and/or FM approval for those items, the results were submitted/accepted by California. The State of California is generally regarded to have the most stringent fire codes of all the United States. For an annual fee (every June 30th) the CSFM listings are updated.

**CSFM**

### UL

Underwriters Laboratory The UL classified baskets (2540, 2541, 2542, 2543, 2544) meet the criteria for UL Standard 242 which is a standard of performance for open top, non-metallic wastepaper containers. UL classified baskets are generally found in use in patient care rooms (hospitals/nursing homes).



### USDA

United States Department of Agriculture Equipment Listing (Meat and Poultry and 3A Dairy Listing). Items that comply with USDA regulations via the design, construction, and materials of a product.

**USDA**

### OSHA

- Decorative Waste products comply with Occupational Safety and Health Administration (OSHA) Standard for Occupational Safety and Health Part 1910.141 Sanitation
- Defenders® Step Cans and Medi-Cans™ comply with OSHA Standard for Bloodborne Pathogens, Final Rule 29CFR, Part 1910.1030 care rooms (hospitals/nursing homes).

### FDA

Food and Drug Administration does not approve products. The FDA sets regulations which require compliance.

## Legend



Assembly required



UV stabilizer added for maximum life in outdoor settings



Hands-free products that help reduce the risk of cross-contamination



Indicates products that contribute to Green Cleaning and Sustainability



Made with recycled plastic